

- Tallgrass Prairie*. Eds A. Knapp, J. Briggs, D. Hartnett, D. Collins. Oxford University Press. New York.
- Kehui, O., Kun, W., Derong, L., Zhenming, L. & Bing, L. (2007). Establishment of sown pastures in the hilly red soil region of the subtropics in southern China. *Tropical Grasslands*, 41, 92-99.
- Kirkpatrick, J., McDougall, K. & Hyde, M. (1995). *Australian's Most Threatened Ecosystem-The Southeastern Lowland Native Grasslands*. Surry Beatty & Sons. Chipping Norton. Australia.
- Knapp, A.K., Briggs, J.M., Hartnett, D.C. & Collins, S.L. (1998) *Grassland Dynamics: Long-term Ecological Research in Tallgrass Prairie*. Oxford University Press. New York. USA.
- Kreyling, J., Beierkuhnlein, C., Ellis, L. & Jentsch, A. (2008). Invasibility of grassland and heath communities exposed to extreme weather events- additive effects of diversity resistance and fluctuating physical environment. *Oikos*, 117, 1542-1554.
- Lemaire, G., Wilkins, R. & Hodgson, J. (2005). Challenges for grassland science: managing research priorities. *Agriculture Ecosystems & Environment*, 108, 99-108.
- Liu, P., Huang, J., Han, X., Sun, O.J. & Zhou, Z. (2006). Differential responses of litter decomposition to increased soil nutrients and water between two contrasting grassland plant species of Inner Mongolia, China. *Applied Soil Ecology*, 34, 266-275.
- Lunt, I. (1997). Germinable soil seed banks of anthropogenic native grasslands and grassy forest remnants in temperate south-eastern Australia. *Plant Ecology*, 130, 21-34.
- Lunt, I., Barlow, T. & Ross, J. (1998). *Plains Wandering: Exploring the Grassy Plains of South-eastern Australia*. Victorian National Park Association Inc. and Trust for Nature Victoria. Melbourne. Australia.
- Macias-Duarte, A., Montoya, A.B., Hunt, W.G., Lafon-Terrazas, A. & Tapanelli, R. (2004). Reproduction, prey, and habitat of the Aplomado Falcon (*Falco femoralis*) in desert grasslands of Chihuahua, Mexico. *Auk*, 121, 1081-1093.
- Mack, N.R. (1989). Temperate grasslands vulnerable to plant invasion: characteristics and consequences. In *Biological Invasions: a Global Perspective*. Ed: J.A Drake. John Wiley & Sons. New York.
- Manzano-Fischer, P., List, R. & Ceballos, G. (1999). Grassland birds in prairie-dog towns in northwestern Chihuahua, Mexico. In *Ecology and Conservation of Grassland Birds of the Western Hemisphere*. Eds. P.D. Vickery and J.R. Herkert. Cooper Ornithological Society. Camarillo. CA.
- Mark, A.F. & McLennan, B. (2005). The conservation status of New Zealand's indigenous grasslands. *New Zealand Journal of Botany*, 43, 245-270.
- Martin, L.M. & Wilsey, B.J. (2006). Assessing grassland restoration success: relative roles of seed additions and native ungulate activities. *Journal of Applied Ecology*, 43, 1098-1109.
- Mitchell, M. (2003). Native grasses: an example of using on-farm biodiversity. In *Land-use change - YES - But will biodiversity be OK?*. Eds. J. Crosthwaite, Q. Farmar-Bowers and C. Hollier. Department of Sustainability and Environment. Victoria. Australia.
- Millennium Ecosystem Assessment (2005). *Ecosystem and human well-being: current state and trends*. World Resources Institute. Washington DC.
- Morecroft, M.D., Bealey, C.E., Howells, E., Rennie, S. & Woiwod, I.P. (2002). Effects of drought on contrasting insect and plant species in the UK in the mid-1990s. *Global Ecology and Biogeography*, 11, 7-22.

- Morgan, J.W. (1998). Patterns of invasion of an urban remnant of a species-rich grassland in southeastern Australia by non-native plant species. *Journal of Vegetation Science*, 9, 181-190.
- Mulder, C.P.H., Koricheva, J., Huss-Danell K., Hogberg, P. & Joshi, J. (1999). Insects affect relationships between plant species richness and ecosystem processes. *Ecology Letters*, 2, 237-246.
- Munn, A.J. & Dawson, T.J. (2010). Mechanistic explanations for the drought-related mortality of juvenile red kangaroos (*Macropus rufus*): implications for population dynamics and modeling. In *Biology of Kangaroos, Wallabies and Rat-kangaroos*. Eds G. Coulson, D. Eldridge CSIRO Publishing. Victoria. Australia.
- Newton, I. (1998). *Population Limitations in Birds*. Academic Press. London.
- Niu, S.L., Wu, M.Y., Han, Y., Xia, J.Y., Li, L.H. & Wan, S.Q. (2008). Water-mediated responses of ecosystem carbon fluxes to climatic change in a temperate steppe. *New Phytologist*, 177, 209-219.
- Osborne, W.S., Kukolic, K.D. & Williams, K.D. (1993b). *Conservation of Reptiles in Lowland Native Grasslands in the Southern Tablelands of New South Wales and the Australian Capital Territory*. Transactions of the Royal Society of NSW. Sydney. Australia.
- Parnesan, C. (2007). Influences of species, latitudes and methodologies on estimates of phenological response to global warming. *Global Change Biology*, 13, 1860-1872.
- Parnesan, C., Ryrholm, N., et al. (1999). Poleward shifts in geographical ranges of butterfly species associated with regional warming. *Nature*, 399, 579-583.
- Parton, W.J., Ojima, D.S. & Schimel, D.S. (1994). Environmental change in grasslands-assessment using models. *Climatic Change*, 28, 111-141.
- Pasari, J.R., Levi, T., Zavaleta, E.S. & Tilman, D. (2013). Several scales of biodiversity affect ecosystem multifunctionality. *PNAS*, 25, 10219-10222.
- Patterson, D.T., Westbrook, J.K., Joyce, R.J.V., Lingren, P.D. & Rogasik, J. (1999). Weeds, insects, and diseases. *Climatic Change*, 43, 711-727.
- Peng, L., Ning, W. & Tao, L. (2008). Temperate grassland region: China. In *The world temperate grassland conservation initiative workshop. Life in a working landscape: towards a conservation strategy for the world's temperate grasslands*. Compendium of regional templates on the status of temperate grassland conservation and protection. Hohhot. China.
- Pieper, R.D. (2005). Grasslands of Central North America. In *Grasslands of the World*. Eds. J.M. Sattie, S.G. Reynolds, C. Batello. Food and agriculture organisation of the United Nations. Rome.
- Piper, J.K., Schmidt, E.S. & Janzen, A.J. (2007). Effects of species richness on resident and target species components in a prairie restoration. *Restoration Ecology*, 15, 189-198.
- Pywell, R.F., Bullock, J.M., Hopkins, A., Walker, K.J. Sparks, T.H., Burke, M.J.W. & Peel, S. (2002). Restoration of species-rich grassland on arable land: assessing the limiting processes using a multi-site experiment. *Journal of Applied Ecology*, 39, 294-309.
- Qi, Y.C., Dong, Y.S., Liu, J.Y., Domroes, M., Geng, Y.B., Liu, L.X., Liu, X.R. & Yang, X.H. (2007). Effect of the conversion of grassland to spring wheat field on the CO2 emission characteristics in Inner Mongolia. *China. Soil & Tillage Research*, 94, 310-320.

- Reynolds, S.G. (2005). Introduction and grassland perspectives. In *Grasslands of the World*. Eds. J.M. Suttie, S.G. Reynolds, C. Batello. Food and agricultural organisation of the United Nations. Rome.
- Richter, A., Osborne, W.S., Robertson, G. & Hnatiuk, S. (2009). Community monitoring of golden sun moths in the Australian Capital Region, 2008-2009. Report prepared for WWF Australia. University of Canberra. Institute for Applied Ecology. Canberra. Australia.
- Ries, L., Debinski, D.M. & Wieland, M.L. (2001). Conservation value of roadside prairie restoration to butterfly communities. *Conservation Biology*, 15, 401-411.
- Risser, P.W., Birney, E.C., Blocker, H.D., May, S.W., Parton, W.J. & Wiens, J.A. (1981). The true prairie ecosystem. Hutchinson Ross: Stroudsburg. USA.
- Sala, O.E., Austin, A. T. & Vivanco, L. (2001). Temperate grassland and shrubland ecosystems. *Encyclopedia of Biodiversity*, 5, 627-635.
- Sala, O.E. & Paruelo J.M. (1997). *Ecosystem Services in Grasslands*. Ecosystem services. Washington DC. Island Press.
- Sala, O.E., Lauenroth, W.K. & Burke, I.C. (1996). Carbon budgets of temperate grasslands and the effects of global change. In *Global Change: effects on coniferous forests and grasslands*. Eds. A.I. Breymeyer, D.O. Hall, J.M. Melillo, G.I. Agren. John Wiley & Sons Ltd. Chichester.
- Samson, F.B. & Knopf, F.L. (1994). Prairie conservation in North America. *Bioscience*, 44, 418-421.
- Samways, M.J. (2005). *Insect diversity conservation*. Cambridge University Press. Cambridge.
- Schläpfer, F. (1999). Expert estimates about effects of biodiversity on ecosystem processes and services. *Oikos*, 84, 346-352.
- Sebastian, M.T., Kirwan, L. & Connolly, J. (2008). Strong shifts in plant diversity and vegetation composition in grassland shortly after climatic change. *Journal of Vegetation Science*, 19, 299-227.
- Sharp, S. & Shorthouse, D.J. (1996). Native grasslands and threatened species in the Australian Capital Territory. Steps towards protection and recovery. In *Back from the brink: Refining the threatened species recovery process*. Eds. S. Stephens, S. Maxwell. Surrey Beatty & Sons. Chipping Norton.
- Shi, D., Wan, X., Davis, S.A., Pech, R.P. & Zhang, Z. (2002). Simulation of lethal control and fertility control in a demographic model for Brandt's vole *Microtus brandti*. *Journal of Applied Ecology*, 39, 337-348.
- Soussana, J.F. & Luescher, A. (2007). Temperate grasslands and global atmospheric change: a review. *Grass and Forage Science*, 62, 127-134.
- Sperry, J.H. & Weatherhead, P.J. (2008). Prey-mediated effects of drought on conditions and survival of a terrestrial snake. *Ecology*, 89, 2770-2776.
- State of Victoria Department of Infrastructure. (2000). Housing Melbourne, Residential Forecast 2000. Ed. Department of Infrastructure. Melbourne. Victoria.
- Stenseth, N.C., Mysterud, A., Ottersen, G., Hurrell, J.W., Chan, K.S. & Lima, M. (2002). Ecological effects of large-scale climate fluctuations. *Science*, 297, 1292-1296.
- Stringer, I.A.N., Bassett, S.M., McLean, M.J., McCartney, J. & Rarrish, G.R. (2003). Biology and conservation of the rare New Zealand land snail *Paryphanta busbyi watti* (Mollusca, Pullmonata). *Invertebrate Biology*, 122, 241-251.

- Stuwe, J. & Parsons, R.F. (1977). *Themeda australis* grasslands on the Basalt Plains, Victoria: floristics and management effects. *Austral Ecology*, 2, 467-476.
- Suttie, J.M. (2005). Grazing management in Mongolia. In *Grasslands of the World*. Eds. J.M. Suttie, S.G. Reynolds, C. Batello. Food and agricultural organisation of the United Nations. Rome.
- Taylor, S.C. (1998). South-eastern Australian temperate lowland native grasslands: protection levels and conservation. *Parks*, 8, 21-26.
- TGCI (2008). Life in a working landscape: towards a conservation strategy for the world's temperate grasslands Grassland Protected Area Task Force of the World Commission on Protected Areas (WCPA). Vancouver. Canada.
- Thomas, C.D., Cameron, A., et al. (2004). Extinction risk from climate change. *Nature*, 427, 145-148.
- Tilman, D. (1997). Community invasibility, recruitment limitation, and grassland biodiversity. *Ecology*, 78, 81-92.
- Tilman, D. & Downing, J.A. (1994). Biodiversity and stability in grasslands. *Nature*, 367, 363-365.
- Tilman, D., Reich, P.B., Knops, J., Wedin, D., Mielke, T. & Lehman, C. (2001). Diversity and productivity in a long-term grassland experiment. *Science*, 294, 843-845.
- Tilman, D., Wedin, D. & Knops, J. (1996). Productivity and sustainability influenced by biodiversity in grassland ecosystems. *Nature*, 379, 718-720.
- Van Auken, O.W. (2000). Shrub invasions of North American semiarid grasslands. *Annual Review of Ecology and Systematics*, 31, 197-215.
- Vanderhoff, J.L., Robel, R.J. & Kemp, K.E. (1994). Numbers and extent of black tailed prairie dogs in Kansas. *Transactions of the Kansas Academy of Science*, 97, 36-73.
- Vogel, J.A., Debinski, D.M., Koford, R.R. & Miller, J.R. (2007). Butterfly, responses to prairie restoration through fire and grazing. *Biological Conservation*, 140, 78-90.
- Walter, H. (1968). *Vegetation of the Earth from an Ecophysiological point of view, Vol. II. Temperate and arctic zones*. VEB Gustav Fisher Verlag (in German). Jena. Germany.
- White, S.R., Carlyle, C.N., Fraser, L.H. & Cahill, J.F. (2012). Climate change experiments in temperate grasslands: synthesis and future directions. *Biological Letters*, 8, 484-487.
- Wiken, E.B., Gauthier, D.A., Schrag, A.M., Hoth, J., Aguirre, C. & Lafon, A. (2008). Temperate grassland region: North America. IUCN and World Commission on Protected Areas (WCPA). Vancouver. Canada.
- Williams, A.L., Wills, K.E., Janes, J.K., Schoor, J.K.V., Newton, P.C.D. & Hovenden, M.J. (2007). Warming and free-air CO₂ enrichment alter demographics in four co-occurring grassland species. *New Phytologist*, 176, 365-374.
- Williams, N.S.G., McDonnell, M.J. & Seager, E.J. (2005). Factors influencing the loss of an endangered ecosystem in an urbanising landscape: a case study of native grasslands from Melbourne, Australia. *Landscape and Urban Planning*, 71, 35-49.
- World Wildlife Fund Canada (WWFC). (1988). *Prairies Conservation Action Plan*. Ed. WWF Canada. Toronto, Ontario. Canada.
- Yarnell, R.W., Scott, D.M., Chimimba, C.T. & Metcalfe, D.J. (2007). Untangling the roles of fire, grazing and rainfall on small mammal communities in grassland ecosystems. *Oecologia*, 154, 387-402.

Zhan, W.L., Chen, S.P., Chen, J., Wei, L., Han, X.G. & Lin, G.H. (2007). Biophysical regulations of carbon fluxes of a steppe and a cultivated cropland in semiarid Inner Mongolia. *Agricultural and Forest Meteorology*, 146, 216-229.