

Matthias Liess (Prof. Dr.)

Publications in peer reviewed journals

129 Publications in peer reviewed journals, 3582 citations, h-Index 35 (WoS 04.2016)

18 Books and book chapters

2 Patents

Compilation at

- THOMSON REUTERS: <http://www.researcherid.com/rid/A-8582-2009>

- ORCID: <http://orcid.org/0000-0002-3321-8909>

- Research Gate: https://www.researchgate.net/profile/Matthias_Liess

- Google Scholar: <https://scholar.google.de/citations?user=Jpz-KpUAAAAJ&hl=de>

2016

129. Singer A, Jost K, Banitz T, Fowler MS, Groeneveld J, Gutierrez AG, Hartig F, Krug RM, Liess M, Matlack G, Meyer KM, Pe'er G, Radchuk V, Voinopol-Sassu AJ, Travis JMJ. 2016. Community dynamics under environmental change: How can next generation mechanistic models improve projections of species distributions? *Ecological Modelling*, 326, 63-74.

128. Kattwinkel M, Reichert P, Rüge J, Liess M, Schuwirth N. 2016 (in print). Modelling macroinvertebrate community dynamics in stream mesocosms contaminated with a pesticide. *Environmental Science & Technology*. # (#), #-#.

2015

127. Kattwinkel M, Liess M, Arena M, Bopp S, Streissl F, Römbke J. 2015. Recovery of

aquatic and terrestrial populations in the context of European pesticide risk assessment. *Environ. Rev.* 23: 382–394.

126. Munze R, Orlinskiy P, Gunold R, Paschke A, Kaske O, Beketov MA, Hundt M, Bauer, C, Schuurmann G, Moder M, Liess M, 2015. Pesticide impact on aquatic invertebrates identified with Chemcatcher (R) passive samplers and the SPEAR(pesticides) index. *Science of the Total Environment*, 537, 69-80.

125. Orlinskiy P, Munze R, Beketov M, Gunold R, Paschke A, Knillmann S, Liess M. 2015. Forested headwaters mitigate pesticide effects on macroinvertebrate communities in streams: Mechanisms and quantification. *Science of the Total Environment* 524. 115–123.

124. Becker JM, Liess M. 2015. Biotic interactions govern genetic adaptation to toxicants. *Proceedings of the Royal Society of London B: Biological Sciences*. 282.

123. Szöcs E, van den Brink PJ, Lagadic L, Caquet T, Roucaute M, Auber A, Bayona J, Matthias Liess, Ebke P, Ippolito A, ter Braak CJF, Brock TCM, Schäfer RB, 2015. Analysing chemical-induced changes in macroinvertebrate communities in aquatic mesocosm experiments: A comparison of methods. *Ecotoxicology*. 24, 760-769.

122. Ippolito A, Kattwinkel M, Rasmussen JJ, Schäfer RB, Fornaroli R, Liess M. 2015. Modeling global distribution of agricultural insecticides in surface waters. *Environmental Pollution*. 198, 54-60.

121. Morrissey CA, Mineau P, Devries JH, Sanchez-Bayo F, Liess M, Cavallaro MC, Liber K. 2015. Neonicotinoid contamination of global surface waters and associated risk to aquatic invertebrates: a review. 2015. *Environment International*. 74, 291-303.

120. Van der Sluijs JP, Amaral-Rogers V, Belzunces LP, Bijleveld van Lexmond MFIJ, Bonmatin JM, Chagnon M, Downs CA, Furlan L, Gibbons DW, Giorio C, Girolami V, Goulson D, Kreuzweiser DP, Krupke C, Liess M, Long E, McField M, Mineau P, Mitchell EAD, Morrissey CA, Noome DA, Pisa L, Settele J, Simon-Delso N, Stark JD, Tapparo A, Van Dyck H, van Praagh J, Whitehorn PR, Wiemers M. 2015. Conclusions of the Worldwide Integrated Assessment on the risks of neonicotinoids and fipronil to biodiversity and ecosystem functioning. *Environmental Science and Pollution Research*. 22, 148-154.

119. Bonmatin J-M, Giorio C, Girolami V, Goulson D, Kreuzweiser DP, Krupke C, Liess M, Long E, Marzaro M, Mitchell EAD, Noome DA, Simon-Delso N, Tapparo A. 2015. Environmental fate and exposure; neonicotinoids and fipronil. *Environmental Science and Pollution Research*. 22, 35-67.

118. Pisa LW, Amaral-Rogers V, Belzunces LP, Bonmatin JM, Downs CA, Goulson D, Kreuzweiser DP, Krupke C, Liess M, McField M, Morrissey CA, Noome DA, Settele J, Simon-Delso N, Stark JD, van der Sluijs J, Van Dyck H, Wiemers M (2015): Effects of neonicotinoids and fipronil on non-target invertebrates. *Environmental Science and Pollution Research*. 22, 68-102.

117. Simon-Delso N, Amaral-Rogers V, Belzunces LP, Bonmatin JM, Chagnon M, Downs CA, Furlan L, Gibbons DW, Giorio C, Girolami V, Goulson D, Kreuzweiser DP, Krupke CH,

Liess M, Long E, McField M, Mineau P, Mitchell EAD, Morrissey CA, Noome DA, Pisa L, Settele J, Stark JD, Tapparo A, Van Dyck H, Van Praagh J, Van der Sluijs JP, Whitehorn PR, Wiemers M. 2015. Systemic insecticides (neonicotinoids and fipronil): trends, uses, mode of action and metabolites. *Environmental Science and Pollution Research*. 22, 5-34.

2014

116. Stampfli NC, Knillmann S, Noskov YA, Schäfer RB, Liess M, Beketov MA. 2014. Environmental stressors can enhance the development of community tolerance to a toxicant. *Ecotoxicology*. 23 (9) 1690-1700.

115. Kattwinkel M, Liess M. 2014. Competition matters: Species interactions prolong the long-term effects of pulsed toxicant stress on populations. *Environmental Toxicology and Chemistry*. 33 (7) 1458–1465.

114. Kröger I, Liess M, Duquesne S. 2014. Temporal and spatial habitat preferences and biotic interactions between mosquito larvae and antagonistic crustaceans in the field. *Journal of Vector Ecology*. 39 (1) 103-111.

113. Smetanová S, Bláha L, Liess M, Schäfer RB, Beketov MA. 2014. Do predictions from Species Sensitivity Distributions match with field data? *Environmental Pollution*. 189, 126-133.

112. Dolciotti I, Foit K, Herkelrath A, Liess M. 2014. Competition impedes the recovery of *Daphnia magna* from repeated insecticide pulses. *Aquatic Toxicology*. 147, 26-31.

111. Bunzel K, Liess M, Kattwinkel M. 2014. Landscape parameters driving aquatic pesticide exposure and effects. *Environmental Pollution*. 186, 90-97.

2013

110. Kröger I, Duquesne S, Liess M. 2013. Crustacean biodiversity as an important factor for mosquito larval control. *Journal of Vector Ecology*. 38 (2) 390-400.

109. Kröger I, Liess M, Dziöck F, Duquesne S. 2013. Sustainable control of mosquito larvae in the field by the combined actions of the biological insecticide Bti and natural competitors. *Journal of Vector Ecology*. 38 (1) 82-89.

108. Beketov MA, Kattwinkel M, Liess M. 2013. Statistics matter: data aggregation improves identification of community-level effects compared to a commonly used multivariate method. *Ecotoxicology*. 22, 1516–1525.

107. Liess M, Foit K, Becker A, Hassold E, Dolciotti I, Kattwinkel M, Duquesne S. 2013. Culmination of low-dose pesticide effects. *Environmental Science & Technology*. 47 (15), 8862–8868.

106. Schäfer RB, Gerner N, Kefford BJ, Rasmussen JJ, Beketov MA, de Zwart D, Liess M, von der Ohe PC. 2013. How to characterize chemical exposure to predict ecologic effects on aquatic communities? *Environmental Science & Technology*. 47, 7996–8004.
105. Beketov MA, Kefford BJ, Schäfer RB, Liess M. 2013. Pesticides reduce regional biodiversity of stream invertebrates. *PNAS*. 110, 27, 11039–11043.
104. Knillmann S, Stampfli N, Noskov Y, Beketov MA, Liess M. 2013. Elevated temperature prolongs long-term effects of toxicants on *Daphnia* spp. due to altered competition in zooplankton communities. *Global Change Biology*. 19, 1598–1609.
103. Beketov M.A., Cedergreen N., Wick L.Y., Kattwinkel M., Duquesne S., Liess M. 2013. Sediment Toxicity Testing for Prospective Risk Assessment -- A New Framework and How to Establish It. *Human and Ecological risk assessment*. 19, 98-117.
102. Stampfli NC, Knillmann S, Liess M, Noskov YA, Schäfer RB, Beketov MA. 2013. Two stressors and a community - Effects of hydrological disturbance and a toxicant on freshwater zooplankton. *Aquatic Toxicology*, 127, 9-20.
101. Moe SJ, Schamphelaere K, Clements WH, Sorensen MT, Van den Brink PJ, Liess. M. 2013. Combined and interactive effects of global climate change and toxicants on populations and communities. *Environmental Toxicology and Chemistry* 32: 49-61.
100. Bunzel K, Kattwinkel M, Liess M. 2013. Effects of organic pollutants from wastewater treatment plants on aquatic invertebrate communities. *Water Research* 47: 597-606.

2012

99. Kefford BJ, Liess M, Warne MStJ, Metzling L, Schäfer RB. 2012. Risk assessment of episodic exposures to chemicals should consider both the physiological and the ecological sensitivities of species. *Science of the Total Environment*, 441: 213-219.
98. Peijnenburg W, Capri E, Kula C, Liess M, Luttik R, Montforts M, Nienstedt K, Römbke J, Sousa JP, Jensen J. 2012. Evaluation of Exposure Metrics for Effect Assessment of Soil Invertebrates. *Critical Reviews in Environmental Science and Technology*. 42 (17), 1862-1893.
97. Schäfer RB, vd Ohe P, Rasmussen J, Kefford BJ, Beketov M, Schulz R, Liess M. 2012. Thresholds for the effects of pesticides on invertebrate communities and leaf breakdown in stream ecosystems. *Environmental Science and Technology*. 2012, 46, 5134–5142.
96. Knillmann S, Stampfli NC, Beketov MA. Liess M 2012. Intraspecific competition increases toxicant effects in outdoor microcosms. *Ecotoxicology*. 21:1857–1866.
95. Knillmann S, Stampfli NC, Noskov YA, Beketov MA. Liess M, 2012. Interspecific competition delays recovery of *Daphnia* spp. populations from pesticide stress. *Ecotoxicology*, 21, 1039-1049.

94. Foit K, Kaske O, Wahrendorf DS, Duquesne S, Liess M. 2012. Automated Nanocosm test system to assess the effects of stressors on two interacting populations. *Aquatic Toxicology*. 109, 243-249.

93. Burton GA, De Zwart D, Diamond J, Dyer S, Kapo KE, Liess M, Posthuma L. 2012. Making Ecosystem Reality Checks the Status Quo. *Environmental Toxicology and Chemistry*. 31:3.

92. Liess M, Beketov MA. 2012. Rebuttal related to „Traits and stress - keys to identify community effects of low levels of toxicants in test systems.“ *Ecotoxicology*. 21:300-303.

91. Nienstedt KM, Brock TCM, Wensem J, Montforts M, Hart A, Aagaard A, Alix A, Boesten J, Bopp SK, Brown C, Capri E, Forbes V, Köpp H, Liess M, Luttik R, Maltby L, Sousa JP, Streissl F, Hardy AR. 2012. Development of a framework based on an ecosystem services approach for deriving specific protection goals for environmental risk assessment of pesticides. *Science of the Total Environment*. 415. 31-38.

90. Artigas J, Arts A, Babut M, Charles S, Arnaud Chaumot; Bruno Combourieu; Ingela Dahllöf; Denis Despreaux; Jeanne Garric; Olivier Geffard; Catherine Gourlay--Francé; Michaela Hein; Morten Hjorth; Martin Krauss; Eberhard Küster; Hendrika J De Lange; Joost Lahr; Kari Lehtonen; Teresa Lettieri; Matthias Liess; Stephen Lofts; Philipp Mayer; Soizic Morin; Albrecht Paschke; Claus Svendsen; Philippe Usseglio-Polatera; Nico van den Brink; Eric Vindimian; Richard Williams. 2012. Towards a renewed research agenda in ecotoxicology. *Environmental Pollution* (260) 201-206.

89. Beketov, MA, Liess, M. 2012. Ecotoxicology and macroecology – Time for integration. *Environmental Pollution* (162) 247-254.

88. Foit K; Kaske O; Liess M. 2012. Competition increases toxicant sensitivity and delays the recovery of two interacting populations. *Aquatic Toxicology*. 106-107:25-31.

2011

87. Beketov MA, Speranza A, Liess M. 2011. Ultraviolet Radiation Increases Sensitivity to Pesticides – Synergistic Effects on Population Growth Rate of *Daphnia magna* at Low Concentrations. *Bulletin of Environmental Contamination and Toxicology*. 87 (3) 231-237.

86. Schäfer, R. B., van den Brink, P. J., Liess, M. 2011. Impacts of pesticides on freshwater ecosystems. Sanchez-Bayo, F.; van den Brink, P. J.; Mann, R. M. *Ecological impacts of toxic chemicals*. Bussum, NL: Bentham. 139-174

85. Kattwinkel M, Kühne JV, Foit K, Liess M. 2011. Climate change, agricultural insecticide exposure, and risk for freshwater communities. *Ecological applications*. 21 (6), 2068–2081.

84. Liess M, Beketov MA. 2011. Traits and stress: keys to identify community effects of low levels of toxicants in test systems. *Ecotoxicology*. 20(6). 1328-1340.

83. Schäfer RB, von der Ohe PC, Kühne R, Schüürmann G, Liess M. 2011. Occurrence

and toxicity of 331 organic pollutants in large rivers of North Germany over a decade (1994 to 2004). *Environmental Science and Technology* 45(14), 6167-6174.

82. Reynaldi S, Meiser M, Liess M. 2011. Effects of the pyrethroid fenvalerate on the alarm response and on the vulnerability of the mosquito larva *Culex pipiens molestus* to the predator *Notonecta glauca*. *Aquatic Toxicology*. 104(1-2). 56-60.

81. Burgert S, Schäfer R, Foit K, Kattwinkel M, Metzeling M, MacEwand R, Kefford BJ, Liess M. 2011. Modelling Aquatic Exposure and Effects of Insecticides - Application to South-Eastern Australia. *Science of the Total Environment*. 409. 2807-2814.

80. Duquesne S, Kroeger I, Kutyniok M, Liess, M 2011. The potential of cladocerans as controphic competitors of the mosquito *Culex pipiens*, *J Medical Entomology* 48(3): 554-560.

79. Stampfli NC, Knillmann S, Liess M, Beketov MA. 2011. Environmental context determines community sensitivity of freshwater zooplankton to a pesticide. *Aquatic Toxicology*. 104(1-2), 116-120.

78. Schäfer R, Kefford BJ, Metzeling L, Liess, M, Burgert, S, Marchant R, Pettigrove V, Goonan P, Nugegoda D. 2011. A trait database of stream invertebrates for the ecological risk assessment of single and combined effects of salinity and pesticides in South-East Australia. *Science of the Total Environment* 409, 2055-2063.

77. Van den Brink PJ, Alexander AC, Desrosiers M, Goedkoop W, Goethals PLM, Liess M, Dyer SD. 2011. Traits-based Approaches in Bioassessment and Ecological Risk Assessment – Strengths, Weaknesses, Opportunities and Threats. *Integrated Environmental Assessment and Management*. 7(2), 198-208.

2010

76. Duquesne S, Liess M. 2010. Indirect effects of pesticides on mosquito larvae via alterations of community structure. *Special Issue: A Community-Ecology Framework for Understanding Vector and Vector-Borne Disease Dynamics Israel Journal of Ecology & Evolution*. 56. 3-4. 433-447.

75. Elono ALM, Liess, M, Duquesne S. 2010. Influence of competing and predatory invertebrate taxa on larval populations of mosquitoes in temporary ponds of wetland areas in Germany. *Journal of Vector Ecology* 35 (2): 419-427.

74. Kefford B, Schäfer, RB, Liess M, Goonan P, Metzeling L, Nugegoda D. 2010. A similarity-index based method to estimate chemical concentration limits protective for ecological communities. *Environmental Toxicology and Chemistry*. 29. 2123-2131.

73. Foit K, Chatzinotas A, Liess M 2010. Short-term disturbance of a grazer has long-term effects on bacterial communities - Relevance of trophic interactions for recovery from pesticide effects. *Aquatic Toxicology* 99, 205-211.

72. Liess M, Foit K. 2010. Intraspecific competition delays recovery of population structure. *Aquatic Toxicology*. 97, 15-22.

71. Beketov MA, Yurchenko YA, Belevich OE, Liess M. 2010. What environmental factors are important determinants of structure, species richness, and abundance of mosquito assemblages? *Journal of Medical Entomology*, 47(2): 129-139.

2009

70. Beketov M, Foit K, Schäfer RB, Schriever CA, Sacchi A, Capri E, Biggs JP, Wells C, Liess M. 2009. SPEAR indicates pesticide effects in streams - comparative use of species- and family-level biomonitoring data. *Environmental Pollution*. 57, 1841-1848.

2008

69. Beketov M, Liess M. 2008. Variability of pesticide exposure in a stream mesocosm system: macrophyte-dominated vs. non-vegetated sections. *Environmental Pollution*. 156, 1364-1367.

68. Beketov M, Schäfer R, Marwitz A, Paschke, A, Liess M. 2008. Long-term stream invertebrate community alterations induced by the insecticide thiacloprid: effect concentrations and recovery dynamics. *Science of the Total Environment*. 405, 96-108.

67. Liess M, Schäfer R, Schriever C. 2008. The footprint of pesticide stress in communities - species traits reveal community effects of toxicants. *Science of the Total Environment*, 406, 484-490.

66. Beketov M, Liess M. 2008. An indicator for effects of organic toxicants on lotic invertebrate communities: independence of confounding environmental factors over an extensive river continuum. *Environmental Pollution*. 980-987.

65. Schäfer R, Paschke A, Liess M. 2008. Aquatic passive sampling of a short-term thiacloprid pulse with the Chemcatcher. Impact of biofouling and use of a diffusion-limiting membrane on the sampling rate. *Journal of Chromatography A*, 1230. 1-6.

64. Beketov M, Liess M. 2008. Potential of 11 pesticides to initiate downstream drift of stream macroinvertebrates. *Archives of Environmental Contamination and Toxicology*, 55: 247-253.

63. Gundold R, Schäfer R, Paschke A, Schürmann G, Liess M. 2008. Calibration of the Chemcatcher passive sampler for monitoring selected polar and semi-polar pesticides in surface water. *Environmental Pollution*, 155, 52-60.

62. Schäfer R, Paschke A, Branislav V, Mueller R, Liess M. 2008. Performance of the Chemcatcher® passive sampler when used to monitor 10 polar and semi-polar pesticides in 16 Central European streams, and comparison with two other sampling methods. *Water Research*, 42, 2707 - 2717.

61. Schäfer RB, Mueller R, Werner B, Wenzel K-D, Streck G, Liess M. 2008. Determination of 10 particle-associated multiclass polar and semi-polar pesticides from small streams using accelerated solvent extraction. *Chemosphere*, 70, 1952-1960.

60. Beketov M, Liess M. 2008. Acute and delayed Effects of the Neonicotinoid Insecticide Thiacloprid on Seven Freshwater Arthropods. *Environmental Toxicology and Chemistry*, 27, 2, 461-470.

2007

59. Von der Ohe PC, Prüß A, Schäfer R, Liess M, Deckere E, Brack W. 2007. Water quality indices across Europe - a comparison of the Good Ecological Status of five river basins. *Journal for Environmental Monitoring*, 9, 9, 970 - 978.

58. Schriever C, Liess M. 2007. Mapping ecological risk of agricultural pesticide runoff. *Science of the Total Environment*, 384, 264-279.

57. Schriever C, Ohe P, Liess M. 2007. Estimating pesticide runoff in small streams. *Chemosphere*, 68, 11, 2161-2171.

56. Beketov M, Liess M. 2007. Predation risk perception and food scarcity induces alterations of life cycle traits of the mosquito *Culex pipiens*. *Ecological Entomology*, 32, 4, 405-410.

55. Schäfer R, Caquet T, Siimes K, Mueller, R, Lagadic L, Liess M. 2007. Effects of pesticides on community structure and ecosystem functions in agricultural streams of three biogeographical regions in Europe. *Science of the Total Environment*, 382, 2-3, 272-285.

54. Schriever C, Ball MH, Holmes C, Maund S, Liess M. 2007. Agricultural intensity and landscape structure: Influences on the macroinvertebrate assemblages of small streams in northern Germany. *Environmental Toxicology and Chemistry*, 26 (2) 346-357.

53. Baird D, Brown S, Lagadic L, Liess M, Maltby L, Moreira-Santos M, Schulz R, & Scott G. 2007. In situ-based effects measures: Determining the ecological relevance of measured responses. *Integrated Environmental Assessment and Management*, 3 (2) 259-267.

2006

52. Pieters B, Liess M. 2006. Population developmental stage determines the recovery potential of *Daphnia magna* populations after Fenvalerate application. *Environmental Science and Technology*, 40 (19). 6157-6162.

51. Beketov M, Liess M. 2006. The influence of predation on the chronic response of *Artemia* sp. populations to a toxicant. *Journal of Applied Ecology*, 43, 1069-1074.

50. Reynaldi S, Jung K, Duquesne S, Liess M. 2006. Linking feeding activity and maturation of *Daphnia magna* following short-term exposure to fenvalerate. *Environmental Toxicology and Chemistry*, 25 (7) 1826-1830.

49. Hooper H, Connon R, Callaghan A, Maund SJ, Liess, M, Duquesne S, Hutchinson H, Moggs J, Sibly RM. 2006. The use of image analysis to estimate population growth rate in *Daphnia magna*. *Journal of Applied Ecology*, 43, 828-834.

48. Liess M, Pieters B, Duquesne S. 2006. Long-term signal of population disturbance after pulse exposure to an insecticide - rapid recovery of abundance, persistent alteration of structure. *Environmental Toxicology and Chemistry*, 25 (5) 1326-1331.

47. Duquesne S, Reynaldi S, Liess M. 2006. Effects of the organophosphate paraoxon-methyl on survival and reproduction of *Daphnia magna*; relevance of exposure duration and recovery. *Environmental Toxicology and Chemistry*, 25 (5) 1196-1199.

46. Pieters B, Liess, M. 2006. Maternal nutritional state determines the sensitivity of *Daphnia magna* offspring to short-term Fenvalerate exposure. *Aquatic Toxicology*, 76, 268-277.

2005

45. Pieters B, Paschke A, Reynaldi S, Kraak M, Admiraal W, Liess M. 2005. Influence of food limitation on the effects of fenvalerate pulse exposure on the life history and population growth rate of *Daphnia magna*. *Environmental Toxicology and Chemistry*. 24, (9): 2254-2259.

44. Reynaldi S, Liess M. 2005. Influence of duration of exposure to the pyrethroid fenvalerate on sublethal responses and recovery of *Daphnia magna* Straus. *Environmental Toxicology and Chemistry*, 24, (5): 1160-1164

43. Beketov MA, Liess M. 2005. Acute contamination with Esfenvalerate and food limitation: Chronic effects on the mayfly *Cloeon dipterum*. *Environmental Toxicology and Chemistry*, 24, (5) 1281–1286.

42. Liess M, von der Ohe PC 2005. Analyzing effects of pesticides on invertebrate communities in streams. *Environmental Toxicology and Chemistry*, 24, (4): 954-965.

41. Schäfer, R. B., Liess, M. 2005. Langzeitwirkungen von Pflanzenschutzmitteln im Freiland. BLf, Wasserwirtschaft Münchner Beiträge zur Abwasser-, Fischerei und Flussbiologie. München: Oldenburg. 57 217-243.

40. Von der Ohe PC, Kühne R, Ebert RU, Altenburger R, Liess M, Schüürmann G. 2005. Structural Alerts – A New Classification Model to Discriminate Excess Toxicity from Narcotic Effect Levels of Organic Compounds in the Acute Daphnid Assay. *Chemical Research in Toxicology*, 18, 536-555.

39. Berenzen N, Lentzen-Godding A, Probst M, Schulz H, Schulz R, Liess M. 2005. A

comparison of predicted and measured levels of runoff-related pesticide concentrations in small lowland streams on a landscape level. *Chemosphere*, 58, (5): 683-691.

38. Probst M, Berenzen, Lentzen-Godding, A, Schulz R, Liess M. 2005. Linking Land Use Variables and Invertebrate Taxon Richness in Small and Medium Sized Agricultural Streams on a Landscape Level. *Ecotoxicology and Environmental Safety*, 60, 2, 140-146.

2004

37. Duquesne S, Liess M, Bird DJ. 2004. Sub-lethal effects of metal exposure: physiological and behavioural responses of the estuarine bivalve *Macoma balthica*. *Marine Environmental Research* 58, 245-250.

36. Von der Ohe PC, Liess M. 2004. Relative sensitivity distribution of aquatic invertebrates to organic and metal compounds. *Environmental Toxicology and Chemistry*, 23,1, 150-156.

2003

35. Neumann M, Baumeister J, Liess M, Schulz R. 2003. LIMPACT: Ein Expertensystem zur Abschätzung der Pflanzenschutzmittel-Belastung kleiner Fließgewässer mittels der Makroinvertebraten-Fauna. *Umweltwissenschaften und Schadstoff-Forschung*, 15, 152-156.

34. Clason B, Duquesne S, Liess M, Schulz R, Zauke G-P. 2003. Bioaccumulation of trace metals in the Antarctic amphipod *Paramoera walkeri* (Stebbing, 1906): Comparison of two-compartment and hyperbolic toxicokinetic models. *Aquatic Toxicology*, 65 117-140.

33. Duquesne S, & Liess M, 2003. Increased sensitivity of the macroinvertebrate *Paramorea walkeri* to heavy-metal contamination in the presence of solar UV radiation in Antarctic shoreline waters, *Marine Ecology Progress Series*, 255, 183-191.

32. Neumann M, Liess M, Schulz R, 2003. A qualitative sampling method for monitoring water quality in temporary channels or point sources and its application to pesticide contamination. *Chemosphere*, 51 (6): 509-513.

31. Berenzen N, S Hümmer Liess M, & R Schulz. 2003. Pesticide peak discharge from wastewater treatment plants into streams during the main period of insecticide application: Ecotoxicological evaluation in comparison to runoff. *Bull. Environ. Contam. Toxicol.*: 70 (5): 891-897.

30. Neumann, M., Liess, M., Schulz, R. 2003. An expert system to estimate the pesticide contamination of small streams using benthic macroinvertebrates as bioindicators, Part 1: The database of LIMPACT. *Ecological Indicators*. 2, 379-389.

29. Neumann, M., Liess, M., Schulz, R. 2003. An expert system to estimate the pesticide contamination of small streams using benthic macroinvertebrates as bioindicators, Part 2:

The knowledge base of LIMPACT. Ecological Indicators. 2, 391-401.

2002

28. Liess, M., 2002. Population response to toxicants is altered by intraspecific interaction. *Environmental Toxicology and Chemistry*. 21 (1), 138-142.

27. M. Neumann, R. Schulz, K. Schäfer, W. Müller, W. Mannheller & Liess, M. 2002. The significance of entry routes as point and non-point sources of pesticides in two small catchments. *Water Research*. 36, 835-842.

26. Dabrowsky, J.M., Peall, S.K.C., Reinecke, A.J., Liess, M. & R. Schulz. 2002. Runoff related pesticide input into the Lourens river, South Africa: Basic data for an exposure assessment and risk mitigation at the catchment scale. *Water, Air und Soil Pollution*, 13, 265-283.

2001

25. Liess, M., Champeau, O., Riddle, M., Schulz, R. & S. Duquesne, 2001. Combined effects of Ultraviolet-B radiation and food shortage on the sensitivity of the Antarctic amphipod *Paramoera walkeri* to copper. *Environmental Toxicology and Chemistry*, 20 (9), 2088-2092.

24. Wogram, J. & Liess, M, 2001. Rank ordering of macroinvertebrate species sensitivity to toxic compounds, by comparison with that of *Daphnia magna*. *Bulletin of Environmental Contamination and Toxicology*. 67, 360-367.

23. Berenzen, N., Schulz, R. & Liess, M, 2001. Effects of chronic ammonium and nitrite contamination on the macroinvertebrate community in running water microcosms. *Water Research*, 35, 3478-3482.

22. Schulz, R. & Liess, M, 2001. Acute and chronic effects of particle-associated fenvalerate on stream macroinvertebrates: a runoff simulation study using outdoor microcosms. *Archives of Environmental Contamination and Toxicology*. 40, 481-488.

21. Hahn, T., Liess, M. & R. Schulz, 2001. Effects of the hormone mimetic insecticide tebufenozide on *Chironomus riparius* larvae in two different exposure setups. *Ecotoxicology and Environmental Safety* 49, 171-178.

20. Wogram, J., Sturm, A., Segner, H. & Liess, M, 2001. Effects of parathion on acetylcholinesterase, butyrylcholinesterase and carboxylesterase in three-spined stickleback (*Gasterosteus aculeatus*) following short-term exposure. *Environmental Toxicology and Chemistry*, 20, 1528-1531.

19. Schulz, R. & Liess, M, 2001. Toxicity of aqueous-phase and suspended particle-associated fenvalerate: chronic effects following pulse-dosed exposure of *Limnephilus lunatus* (Trichoptera). *Environmental Toxicology and Chemistry*. 20, 185-190.

18. Schulz, R. & Liess, M, 2001. Runoff simulation with particle-bound fenvalerate in multispecies stream microcosms; importance of biological interactions. *Environmental Toxicology and Chemistry*, 20, 757-762.2000

17. Schulz, R. & Liess, M, 2000. Toxicity of fenvalerate to caddisfly larvae: chronic effects of 1- vs 10-h pulse-exposure with constant doses. *Chemosphere*, 41, 1511-1517.

16. Sturm, A., J. Wogram, H. Segner & Liess, M, 2000. Different sensitivity to organophosphates of acetylcholinesterase from three-spined stickleback (*Gasterosteus aculeatus*): Application in Biomonitoring, *Environmental Toxicology and Chemistry*, 19, 1607-1615.

15. Duquesne, S., M. Riddle, R. Schulz & Liess, M, 2000. Effects of contaminants in the Antarctic environment - Potential of *Paramorea walkeri* as a biological indicator for Antarctic ecosystems based on toxicity and bioaccumulation of various contaminants. *Aquatic Toxicology*, 49, 131-143.

1986 - 1999

14. Schulz, R. & Liess, M, 1999. Validity and ecological relevance of an active in situ bioassay using *Gammarus pulex* and *Limnephilus lunatus*. *Environmental Toxicology and Chemistry*. 18, 2243-2250.

13. Schulz, R. & Liess, M, 1999. A field study of the effects of agriculturally derived insecticide input on stream macroinvertebrate dynamics. *Aquatic Toxicology*, 46: 155-176.

12. Liess, M. & R. Schulz, 1999. Linking insecticide contamination and population response in an agricultural stream. *Environmental Toxicology and Chemistry*, 18 (9): 1948-1955.

11. Sturm, A., J. Wogram, D. Hansen & Liess, M, 1999. Potential use of cholinesterase in monitoring low levels of organophosphates in small streams: natural variability in three-spined stickleback (*Gasterosteus aculeatus*) and relation to pollution, *Environmental Toxicology and Chemistry*, 18: 194-200.Probst

10. Liess, M., R. Schulz, M.H.-D. Liess, B. Rother & R. Kreuzig, 1999. Determination of insecticide contamination in agricultural headwater streams. *Water Research* 33: 239-247.

9. Schulz, R., M. Hauschild, M. Ebeling, J. Nanko-Drees, J. Wogram & Liess, M, 1998. A qualitative field method for monitoring pesticides in the edge-of-field runoff. *Chemosphere* 36: 3071-3082.

8. Liess, M., 1998. Insecticide contamination, combining of laboratory and field investigations. *UWSF-Zeitschrift für Umweltchemie und Ökotoxikologie*, 10: 31-36.

7. Liess, M., 1998. Significance of agricultural pesticides on stream macroinvertebrate communities, *Proc. intern. Assoc. Theor. Appl. Limnol.*, 26: 1245-1249.

6. Liess, M., 1997. From the laboratory into the field - assessment of pesticides in the environment. *UWSF-Zeitschrift für Umweltchemie und Ökotoxikologie* 9: 1 - 2.
 5. Liess, M., R. Schulz & M. Neumann, 1996. A method for monitoring pesticides bound to suspended particles in small streams. *Chemosphere* 32: 1963-1969.
 4. Liess, M. & R. Schulz, 1996. Chronic effects of short-term contamination with the pyrethroid insecticide fenvalerate on the caddisfly *Limnephilus lunatus*. *Hydrobiologia* 324: 99-106.
 3. Schulz, R. & Liess, M, 1995. Chronic effects of low insecticide concentrations on freshwater caddisfly larvae. *Hydrobiologia* 299: 103-113.
 2. Liess, M., 1994. Pesticide impact on macroinvertebrate communities of running waters in agricultural ecosystems. *Proc. intern. Assoc. Theor. Appl. Limnol.* 2060-2062.
 1. Liess, M., R. Schulz & U. Werner, 1993. Macroinvertebrate Dynamics in Ditches as Indicator for Surface Water Runoff - An Ecological Aspect for Assessment of Agricultural Impact on Running Water Ecosystems. *Modelling of Geo-Biosphere Processes* 2: 279-292.
- Liess, M. 1986. The dragonflies (Odonata) in the running waters of the Ostbraunschweiger Hügelland and the Ostbraunschweiger Flachland, Lower Saxony, West Germany. *Braunschweiger Naturkundliche Schriften*. 2, 3: 499-506.

PATENTS:

„Method for the eradication of pathogenic microorganisms in an aquatic system“
Patent US 8,915,013, B2 (2014)
LIESS M, DUQUESNE S

„Water contamination measurement uses activity of aquatic life as a measurement“
Patent: DE4313109-A1; DE4313109-C2
LIESS M