

Articles in Peer Reviewed Journals

Balciunas E.M., Kappelmeyer U., Harms H., Heipieper H.J. (2020) Increasing ibuprofen degradation in constructed wetlands by bioaugmentation with gravel containing biofilms of an ibuprofen-degrading *Sphingobium yanoikuyae*. Eng. Life Sci. in press.

Cierniak D., Woźniak-Karczewska M., Parus A., Wyrwas B., Loibner A.P., Heipieper H.J., Ławniczak L., Chrzanowski L. (2020) How to accurately assess surfactant biodegradation - impact of sorption on the validity of results. Appl. Microbiol. Biotechnol. **104**:1-12.

Peziak-Kowalska D., Syguda A., Ławniczak L., Borkowski A., Fourcade F., Heipieper H.J., Lota G., Chrzanowski L. (2019) Hybrid electrochemical and biological treatment of herbicidal ionic liquids comprising the MCPA anion. Ecotoxicol. Environ. Saf. **181**:172-179.

Eberlein C., Starke S., Escobar Doncel Á., Scarabotti F., Heipieper H.J. (2019) Quantification of outer membrane vesicles: a potential tool to compare response in *Pseudomonas putida* KT2440 to stress caused by alkanols. Appl. Microbiol. Biotechnol. **103**:4193-4201.

Woźniak-Karczewska M., Lisiecki P., Białas W., Owsianiak M., Piotrowska-Cyplik A., Wolko L., Ławniczak L., Heipieper H.J., Gutierrez T., Chrzanowski L. (2019) Effect of bioaugmentation on long-term biodegradation of diesel/biodiesel blends in soil microcosms. Sci. Total Environ. **671**:948-958.

Vásquez-Piñeros M.A., Martínez-Lavanchy P.M., Schmidt K., Mardones M., Heipieper H.J. (2019) Changes in bacterial diversity and catabolic gene abundance during the removal of dimethylphenol isomers in laboratory scale constructed wetlands. Appl. Microbiol. Biotechnol. **103**:505-517.

Wunderlich A., Heipieper H.J., Elsner M., Einsiedl F. (2019) Influence of changes in microbial cell membrane composition on isotopic fractionation of nitrate during denitrification. E3S Web of Conferences **98**:01051.

Concha E., Heipieper H.J., Wick L.Y., Ciudad G.A., Navia A. (2018) Effects of limonene, *n*-decane and *n*-decanol on growth and membrane fatty acid composition of the microalga *Botryococcus braunii*. AMB Express **8**:189.

Flécharde M., Duchesne R., Tahrioui A., Bouffartigues E., Depayras S., Hardouin J., Lagy C., Maillot O., Tortuel D., Azuama O., Clamens T., Duclairoir Poc C., Catel-Ferreira M., Gicquel G., Feuilloley M., Lesouhaitier O., Heipieper H.J., Groleau M.C., Déziel E., Cornelis P., Chevalier S. (2018) The absence of SigX results in impaired carbon metabolism and membrane fluidity in *Pseudomonas aeruginosa*. Sci. Rep. **8**:17212.

Vásquez-Piñeros M.A., Martínez-Lavanchy P.M., Jehmlich N., Pieper D.H., Rincón C.A., Harms H., Junca H., Heipieper H.J. (2018) *Delftia* sp. LCW, a strain isolated from a constructed wetland shows novel properties for dimethylphenol isomers degradation. BMC Microbiol. **18**:108.

Wunderlich A., Heipieper H.J., Elsner M., Einsiedl F. (2018) Solvent stress-induced changes in membrane fatty acid composition of denitrifying bacteria reduce the extent of nitrogen stable isotope fractionation during denitrification. Geochim. Cosmochim. Acta **239**:275-283.

Konieczna M., Olzog M., Naether D.J., Chrzanowski L., Heipieper H.J. (2018) Membrane fatty acid composition and cell surface hydrophobicity of marine hydrocarbonoclastic *Alcanivorax borkumensis* SK2 grown on diesel, biodiesel and rapeseed oil as carbon sources. Molecules **23**:1432.

- Atashgahi S., Sánchez-Andrea I., Heipieper H.J., van der Meer J.R., Stams A.J.M., Smidt H.** (2018) Prospects for harnessing biocide resistance for bioremediation and detoxification. *Science* **360**(6390):743-746.
- Eberlein C., Baumgarten T., Starke S., Heipieper H.J.** (2018) Immediate response mechanisms of Gram-negative solvent tolerant bacteria to cope with environmental stress: *cis-trans* isomerization of unsaturated fatty acids and outer membrane vesicle secretion. *Appl. Microbiol. Biotechnol.* **102**:2583-2593.
- Bjerketorp J., Roling W.F.M., Feng X., Hernandez Garcia A., Heipieper H.J., Hakansson S.** (2018) Formulation and stabilization of an *Arthrobacter* strain with good storage stability and 4-chlorophenol degradation activity for bioremediation. *Appl. Microbiol. Biotechnol.* **102**:2031-2040.
- Piotrowska A., Syguda A., Wyrwas B., Chrzanowski L., Luckenbach T., Heipieper H.J.** (2018) Adaptation of zebrafish embryos to toxic concentrations of ammonium-based ionic liquids and 2,4-dichlorophenol on the level of their phospholipid fatty acid composition. *PLoS ONE* **13**:e0190779.
- Sydow M., Owsianiak M., Framski G., Woźniak-Karczewska M., Piotrowska-Cyplik A., Ławniczak L., Szulc A., Zgoła-Grześkowiak A., Heipieper H.J., Chrzanowski L.** (2018) Biodiversity of soil bacteria exposed to sub-lethal concentrations of phosphonium-based ionic liquids: effects of toxicity and biodegradation. *Ecotoxicol. Environ. Saf.* **147**:157-164.
- Depayras S., Kondakova T., Merlet-Machour N., Heipieper H.J., Barreau M., Catovic C., Feuilloley M., Orange N., Duclairoir-Poc C.** (2018) Impact of gaseous NO₂ on *P. fluorescens* strain in the membrane adaptation and virulence. *Int. J. Environ. Impacts* **1**:183-192.
- Meyer-Cifuentes I., Fiedler S., Müller J.A., Kappelmeyer U., Mäusezahl I., Heipieper H.J.** (2017) Draft genome sequence of *Magnetospirillum* sp. strain 15-1, a denitrifying toluene degrader isolated from a planted fixed-bed reactor. *Genome Announc.* **5**:e00764-17.
- Chernikova T.N., Dallimore J., Lünsdorf H., Heipieper H.J., Golyshin P.N.** (2017) *Monaibacterium marinum*, gen. nov, sp. nov, a new member of the Alphaproteobacteria isolated from seawater of Menai Straits, Wales, UK. *Int. J. Syst. Evolut. Microbiol.* **67**:3310-3317.
- Meyer-Cifuentes I., Martinez-Lavanchy P.M., Marin-Cevada V., Böhnke S., Harms H., Müller J.A., Heipieper H.J.** (2017) Isolation and characterization of *Magnetospirillum* sp. strain 15-1 as a representative anaerobic toluene-degrader from a constructed wetland model. *PLoS ONE* **12**:e0174750.
- Baumgarten T., Schlegel S., Wagner S., Löw M., Eriksson J., Bonde I., Herrgård M.J., Heipieper H.J., Nørholm M.H.H., Slotboom D.J., de Gier J.W.** (2017) Isolation and characterization of the *E. coli* membrane protein production strain Mutant56(DE3). *Sci. Rep.* **7**:45089.
- Soares-Castro P., Montenegro-Silva P., Heipieper H.J., Santos P.M.** (2017) Functional characterization of a 28-kb catabolic island from *Pseudomonas* sp. M1 involved in biotransformation of β -myrcene and related plant-derived volatiles. *Appl. Environ. Microbiol.* **83**:e03112-16.
- Heipieper H.J.** (2017) Farewell Prof. Hans-Jurgen Rehm. *Microb. Biotechnol.* **10**:223-223.
- Koelschbach J.S., Mouttaki H., Pickl C., Heipieper H.J., Rachel R., Lawson P.A., Meckenstock R.U.** (2017) *Rectinema cohabitans* gen. nov., sp. nov., a rod-shaped spirochete isolated from an anaerobic naphthalene-degrading enrichment culture. *Int. J. Syst. Evolut. Microbiol.* **67**:1288-1295.
- Hachicho N., Birnbaum A., Heipieper H.J.** (2017) Osmotic stress in colony and planktonic cells of *Pseudomonas putida* mt-2 revealed significant differences in adaptive response mechanisms. *AMB Express* **7**:62.

- Pepi M., Heipieper H.J., Balestra C., Borra M., Biffali E., Casotti R.** (2017) Toxicity of diatom polyunsaturated aldehydes to marine bacterial isolates reveals their mode of action. *Chemosphere* **177**:258-265.
- Fida T.T., Moreno-Forero S.K., Breugelmans P., Heipieper H.J., Roling W.F.M., Springael D.** (2017) Physiological and transcriptome response of the polycyclic aromatic hydrocarbon degrading *Novosphingobium* sp. LH128 after inoculation in soil. *Environ. Sci. Technol.* **51**:1570-1579.
- Piotrowska A., Syguda A., Wyrwas B., Chrzanowski L., Heipieper H.J.** (2017) Toxicity evaluation of selected ammonium-based ionic liquid forms with MCPP and dicamba moieties on *Pseudomonas putida*. *Chemosphere* **167**:114-119.
- Laheasaare A., Ainelo H., Teppo A., Kivisaar M., Heipieper H.J., Teras R.** (2016) LapF and its regulation by Fis affect the cell surface hydrophobicity of *Pseudomonas putida*. *PLoS One* **11**:e0166078.
- de Carvalho C.C.C.R., Fischer M.A., Kirsten S., Würz B., Wick L.Y., Heipieper H.J.** (2016) Adaptive response of *Rhodococcus opacus* PWD4 to salt and phenolic stress on the level of mycolic acids. *AMB Express* **6**:66.
- Lünsmann V., Kappelmeyer U., Taubert A., Nijenhuis I., von Bergen M., Heipieper H.J., Müller J.A., Jehmlich N.** (2016) Aerobic toluene degraders in the rhizosphere of a constructed wetland model show diurnal polyhydroxyalkanoate metabolism. *Appl. Environ. Microbiol.* **82**:4126-4132.
- Lünsmann V., Kappelmeyer U., Benndorf R., Martínez-Lavanchy P.M., Taubert A., Adrian L., Duarte M., Pieper D.H., von Bergen M., Müller J.A., Heipieper H.J., Jehmlich N.** (2016) *In-situ* protein-SIP highlights *Burkholderiaceae* as key players degrading toluene by para ring hydroxylation in a constructed wetland model. *Environ. Microbiol.* **18**:1176-1186.
- Koehler S., Bertin P.N., Plewniak F., Baltenweck R., Casiot C., Heipieper H.J., Bouchez O., Arsène-Ploetze F., Hugueney P., Halter D.** (2016) Arsenite response in *Coccomyxa* sp. Carn explored by transcriptomic and non-targeted metabolomic approaches. *Environ. Microbiol.* **18**:1289-1300.
- Piotrowska A., Syguda A., Chrzanowski L., Heipieper H.J.** (2016) Toxicity of synthetic herbicides containing 2,4-D and MCPA moieties towards *Pseudomonas putida* mt-2 and its response at the level of membrane fatty acid composition. *Chemosphere* **144**:107-112.
- Freel K.C., Krueger M.C., Farasin J., Brochier-Armanet C., Barbe V., Andrès J., Cholley P.E., Dillies M.A., Jagla B., Koehler S., Leva Y., Magdelenat G., Plewniak F., Proux C., Coppée J.Y., Bertin P.N., Heipieper H.J., Arsène-Ploetze F.** (2015) Adaptation in toxic environments: arsenic genomic islands in the bacterial genus *Thiomonas*. *PLoS One* **10**:e0139011.
- Martínez-Lavanchy P.M., Chen Z., Lünsmann V., Marin-Cevada V., Vilchez-Vargas R., Pieper D.H., Reiche N., Kappelmeyer U., Imperato V., Junca H., Nijenhuis I., Müller J.A., Kusch P., Heipieper H.J.** (2015) Microbial toluene removal in hypoxic model constructed wetlands occurs predominantly via the ring monooxygenation pathway. *Appl. Environ. Microbiol.* **81**:6241-6252.
- Hachicho N., Reithel S., Miltner A., Heipieper H.J., Küster E., Luckenbach T.** (2015) Body mass parameters, lipid profiles and protein contents of zebrafish embryos and effects of 2,4-dinitrophenol exposure. *PLoS One* **10**:e0134755.
- Kondakova T., D'Hegyère F., Feuilloley M.G.J., Orange N., Heipieper H.J., Duclairoir-Poc C.** (2015) Glycerophospholipid synthesis and functions in *Pseudomonas*. *Chem. Phys. Lipids* **190**:27-42.
- Leong S.L., Lantz H., Pettersson O.V., Frisvad J.C., Thrane U., Heipieper H.J., Dijksterhuis J., Grabherr M., Pettersson M., Tellgren-Roth C., Schnürer J.** (2015)

Genome and physiology of the ascomycete filamentous fungus *Xeromyces bisporus*, the most xerophilic organism isolated to date. *Environ. Microbiol.* **17**:496-513.

Zanni E., Maulucci G., Pomata D., Buiarelli F., Krasnowska E.K., Parasassi T., De Spirito M., Heipieper H.J., Uccelletti D. (2015) ER stress induced by the OCH1 mutation triggers changes in lipid homeostasis in *Kluyveromyces lactis*. *Res. Microbiol.* **166**: 84-92.

Hachicho N., Hoffmann P., Ahlert K., Heipieper H.J. (2014) Effect of silver nanoparticles and silver ions on growth and adaptive response mechanisms of *Pseudomonas putida* mt-2. *FEMS Microbiol. Lett.* **355**:71-77.

de Carvalho C.C.C.R., Marques M.P.C., Hachicho N., Heipieper H.J. (2014) Rapid adaptation of *Rhodococcus erythropolis* cells to salt stress by synthesizing polyunsaturated fatty acids. *Appl. Microbiol. Biotechnol.* **98**:5599-5606.

Rapoport A., Heipieper H.J. (2014) Biotechnological and environmental microbiological research in the Baltic region. *Biotechnol. Appl. Biochem.* **61**:1-2.

Lisiecki P., Chrzanowski L., Szulc A., Lawniczak L., Bialas W., Dziadas M., Owsianiak N., Staniewski J., Cyplik P., Marecik R., Jelen H., Heipieper H.J. (2014) Biodegradation of diesel/biodiesel blends in saturated sand microcosms. *Fuel* **116**:321-327.

Fida T.T., Moreno-Forero S.K., Heipieper H.J., Springael D. (2013) Physiology and transcriptome of the polycyclic aromatic hydrocarbon-degrading *Sphingomonas* sp. LH128 after long-term starvation. *Microbiology SGM* **159**:1807-1817.

Naether D.J., Slawtschew S., Stasik S., Engel M., Olzog M., Wick L.Y., Timmis K.N., Heipieper H.J. (2013) Adaptation of hydrocarbonoclastic *Alcanivorax borkumensis* SK2 to alkanes and toxic organic compounds - a physiological and transcriptomic approach. *Appl. Environ. Microbiol.* **79**:4282-4293.

Kube M., Chernikova T.N., Al-Ramahi Y., Beloqui A., Lopez-Cortez N., Guazzaroni M.E., Heipieper H.J., Klages S., Kotsyrbenko O.R., Langer I., Nechitaylo T.Y., Lünsdorf H., Fernández M., Juárez S., Ciordia S., Singer S., Kagan O., Egorova O., Petit P.A., Stogios P., Kim Y., Tchigvintsev A., Flick R., Denaro R., Genovese M., Albar J.P., Reva O.N., Martínez-Gomariz M., Tran H., Ferrer M., Savchenko A., Yakunin A.F., Yakimov M.M., Golyshina O.V., Reinhardt R., Golyshin P.N. (2013) Functional genome analysis of *Oleispira antarctica* RB-8, a key oil-degrading bacterium in cold and deep marine environments. *Nature Commun.* **4**:2156.

Kaszycki P., Walski T., Hachicho N., Heipieper H.J. (2013) Biostimulation by methanol enables the methylotrophic yeasts *Hansenula polymorpha* and *Trichosporon* sp. to reveal high formaldehyde biodegradation potential as well as to adapt to this toxic pollutant. *Appl. Microbiol. Biotechnol.* **97**:5555-5564.

Pepi M., Cappelli S., Hachicho N., Perra G., Renzi M., Tarabelli A., Altieri R., Esposito A., Focardi S.E., Heipieper H.J. (2013) *Klebsiella* sp. strain C2A isolated from olive oil mill waste is able to tolerate and degrade tannic acid in very high concentrations. *FEMS Microbiol. Lett.* **343**:105-112.

Kruger M.C., Bertin P.N., Heipieper H.J., Arsène-Ploetze F. (2013) Bacterial metabolism of environmental arsenic - mechanisms and biotechnological application. *Appl. Microbiol. Biotechnol.* **97**:3827-3841.

Schurig C., Smittenberg R.H., Berger J., Kraft F., Woche S.K., Goebel M.O., Heipieper H.J., Miltner A., Kaestner M. (2013) Microbial cell-envelope fragments and the formation of soil organic matter - a case study from a glacier forefield. *Biogeochem.* **113**:595-612.

Fida T.T., Breugelmans P., Lavigne R., Coronado E., Johnson D.R., van der Meer J.R., Mayer A.P., Heipieper H.J., Hofkens J., Springael D. (2012) Exposure to solute stress affects genome-wide expression but not the PAH-degrading activity of *Sphingomonas* sp. LH128 in biofilms. *Appl. Environ. Microbiol.* **78**:8311-8320.

Baumgarten T., Sperling S., Seifert J., van Bergen M., Steiniger F., Wick L.Y., Heipieper H.J. (2012) Membrane vesicle formation as multiple stress response mechanism

enhances cell surface hydrophobicity and biofilm formation of *Pseudomonas putida* DOT-T1E. Appl. Environ. Microbiol. **78**:6217-6224.

Rontani J.-F., Charriere B., Petit M., Vaultier F., Heipieper H.J., Link H., Chaillou G., Sempere R. (2012) Degradation state of organic matter in surface sediments from the Beaufort Shelf: a lipid approach. Biogeosciences **9**:3513-3530.

Halter D., Casiot C., Simon S., Heipieper H.J., Arsène-Ploetze F., Bertin P.N. (2012) Surface properties and intracellular speciation revealed an original adaptive mechanism to arsenic in the acid mine drainage bio-indicator *Euglena mutabilis*. Appl. Microbiol. Biotechnol. **93**:1735-1744.

Micolonghi C., Ottaviano D., Di Silvio E., Damato G., Heipieper H.J., Bianchi M.M. (2012) A dual signaling pathway for the hypoxic expression of lipid genes, dependent on the glucose sensor Rag4, is revealed by the analysis of *KIMGA2* gene in *Kluyveromyces lactis*. Microbiology SGM **158**:1734-1744.

Baumgarten T., Vazquez J., Bastisch C., Veron W., Feuilloley M.G.J., Nietzsche S., Wick L.Y., Heipieper H.J. (2012) Alkanols and chlorophenols cause different physiological adaptive responses on the level of cell surface properties and membrane vesicle formation in *Pseudomonas putida* DOT-T1E. Appl. Microbiol. Biotechnol. **93**:837-845.

Johnson D.R., Coronado E., Moreno-Forero S.K., Heipieper H.J., van der Meer J.R. (2011) Transcriptome and membrane fatty acid analyses reveal different strategies for responding to permeating and non-permeating solutes in the bacterium *Sphingomonas wittichii*. BMC Microbiol. **11**:250.

Azócar L., Ciudad G., Heipieper H.J., Muñoz R., Navia R. (2011) Lipase-catalyzed process in an anhydrous medium with enzyme reutilization to produce biodiesel with low acid value. J. Biosci. Bioeng. **112**:583-589.

Stolpovsky K., Martínez-Lavanchy P., Heipieper H.J., Van Cappellen P., Thullner M. (2011) Incorporating dormancy in dynamic microbial community models. Ecol. Model. **222**:3092-3102.

Pandey J., Heipieper H.J., Chauhan A., Arora P.K., Prakash D., Takeo M., Jain R.K. (2011) Reductive dehalogenation mediated initiation of aerobic degradation of 2-chloro-4-nitrophenol (2C4NP) by *Burkholderia* sp. strain SJ98. Appl. Microbiol. Biotechnol. **92**:597-607.

Navia R., Heipieper H.J. (2011) The role of energy efficient biotechnological processes in the waste management industry. Waste Manage. Res. **29**:563-564.

Cialfi S., Uccelletti D., Carducci A., Wesolowski-Louvel M., Mancini P., Heipieper H.J., Saliola M. (2011) KIHs11 is a component of glycerol response pathways in the milk yeast *Kluyveromyces lactis*. Microbiology SGM **157**:1509-1518.

Chrzanowski L., Owsianiak M., Szulc A., Marecik R., Piotrowska-Cyplik A., Olejnik-Schmidt A.K., Staniewski J., Lisiecki P., Ciesielczyk F., Jesionowski T., Heipieper H.J. (2011) Interactions between rhamnolipid biosurfactants and toxic chlorinated phenols enhance biodegradation of a model hydrocarbon-rich effluent. Int. Biodeter. Biodegr. **65**:605-611.

Cyplik P., Schmidt M., Szulc A., Marecik R., Lisiecki P., Heipieper H.J., Owsianiak M., Vainshtein M., Chrzanowski L. (2011) Relative quantitative PCR to assess bacterial community dynamics during degradation of diesel and biodiesel fuels under various aeration conditions. Bioresour. Technol. **102**:4347-4352.

Martínez-Lavanchy P.M., Müller C., Nijenhuis I., Kappelmeyer U., Buffing M., McPherson M., Heipieper H.J. (2010) High stability and fast recovery of the expression of the toluene catabolic TOL genes of *Pseudomonas putida* mt-2 when grown under oxygen limiting and oscillating conditions. Appl. Environ. Microbiol. **76**:6715-6723.

- Azócar L., Ciudad G., Heipieper H.J., Navia R.** (2010) Biotechnological processes for biodiesel production using alternative oils. *Appl. Microbiol. Biotechnol.* **88**:621-636.
- Löffler C., Eberlein C., Mäusezahl I., Kappelmeyer U., Heipieper H.J.** (2010) Physiological evidence for the presence of a *cis-trans* isomerase of unsaturated fatty acids in *Methylococcus capsulatus* Bath to adapt to the presence of toxic organic compounds. *FEMS Microbiol. Lett.* **308**:68-75.
- Fischer J., Schauer F., Heipieper H.J.** (2010) The *trans/cis* ratio of unsaturated fatty acids is not applicable as biomarker for environmental stress in case of long-term contaminated habitats. *Appl. Microbiol. Biotechnol.* **87**:365-371.
- Azócar L., Ciudad G., Heipieper H.J., Muñoz R., Navia R.** (2010) Improving fatty acid methyl esters production yield in a lipase-catalyzed process by using waste frying oils as feedstock. *J. Biosci. Bioeng.* **109**:609-614.
- Fischer J., Kappelmeyer U., Kastner M., Schauer F., Heipieper H.J.** (2010) The degradation of bisphenol A by the newly isolated bacterium *Cupriavidus basilensis* JF1 can be enhanced by biostimulation with phenol. *Int. Biodeter. Biodegr.* **64**:324-330.
- Kunapuli U., Jahn M.K., Lueders T., Geyer R., Heipieper H.J., Meckenstock R.U.** (2010) Anaerobic degradation of monoaromatic hydrocarbons by two novel iron-reducing bacteria: Description of *Desulfitobacterium aromaticivorans* sp. nov., and *Geobacter toluoenoxydans* sp. nov. *Int. J. Syst. Evolut. Microbiol.* **60**:686-695.
- Duldhardt I., Gaebel J., Chrzanowski L., Nijenhuis I., Hartig C., Schauer F., Heipieper H.J.** (2010) Adaptation of anaerobically grown *Thauera aromatica*, *Geobacter sulfurreducens*, and *Desulfococcus multivorans* to organic solvents on the level of membrane fatty acid composition. *Microbial Biotechnol.* **3**:201-209.
- Veeranagouda Y., Lim E.J., Kim D.W., Kim J.-K., Cho K., Heipieper H.J., Lee K.** (2009) Formation of specialized aerial architectures by *Rhodococcus* during utilization of vaporized *p*-cresol. *Microbiology SGM* **155**:3788-3796.
- Pepi M., Lobianco A., Renzi M., Perra G., Bernardini E., Marvasi M., Gasperini S., Volterrani M., Franchi E., Heipieper H.J., Focardi S.E.** (2009) Two naphthalene degrading bacteria belonging to the genera *Paenibacillus* and *Pseudomonas* isolated from a highly polluted lagoon perform different sensitivities to the organic and heavy metal contaminants. *Extremophiles* **13**:839-848.
- Owsianiak M., Szulc A., Chrzanowski L., Cyplik P., Bogacki M., Olejnik-Schmidt A.K., Heipieper H.J.** (2009) Biodegradation and surfactant-mediated biodegradation of diesel fuel by 218 microbial consortia isolated from petroleum-contaminated soils is not correlated to cell surface hydrophobicity. *Appl. Microbiol. Biotechnol.* **84**:545-553.
- Chrzanowski L., Meulenkamp R., Kastner M., Wick L.Y., Heipieper H.J.** (2009) Rhamnolipid biosurfactants decrease the toxicity of chlorinated phenols to *Pseudomonas putida* DOT-T1E. *Lett. Appl. Microbiol.* **48**:756-762.
- Kabelitz N., Machackova J., Imfeld G., Brennerova M., Pieper D.H., Heipieper H.J., Junca H.** (2009) Enhancement of the microbial community biomass and diversity during air sparging bioremediation of a Northern Bohemia soil highly contaminated with kerosene and BTEX. *Appl. Microbiol. Biotechnol.* **82**:565-577.
- de Carvalho C.C.C.R., Wick L.Y., Heipieper H.J.** (2009) Cell wall adaptations of planktonic and biofilm *Rhodococcus erythropolis* cells to growth on C5 to C16 *n*-alkane hydrocarbons. *Appl. Microbiol. Biotechnol.* **82**:311-320.
- Owsianiak M., Chrzanowski L., Szulc A., Staniewski J., Olszanowski A., Olejnik-Schmidt A.K., Heipieper H.J.** (2009) Biodegradation of diesel/biodiesel blends by a consortium of hydrocarbon degraders: Effect of the type of blend and the addition of biosurfactants. *Bioresour. Technol.* **100**:1497-1500.

- Pepi M., Heipieper H.J., Fischer J., Ruta M., Volterrani M., Focardi S.E.** (2008) Membrane fatty acids adaptive profile in the simultaneous presence of arsenic and toluene in *Bacillus* sp. ORAs2 and *Pseudomonas* sp. ORAs5 strains. *Extremophiles* **12**:343-349.
- Veeranagouda Y., Benndorf D., Heipieper H.J., Karegoudar T.B.** (2008) Purification and characterization of NAD dependent n-butanol dehydrogenase from solvent tolerant *n*-butanol degrading *Enterobacter* sp VKGH12. *J. Microbiol. Biotechnol.* **18**:663-669.
- Schoug Å., Fischer J., Heipieper H.J., Schnürer J., Håkansson S.** (2008) Impact of fermentation on freeze-drying survival and membrane lipid composition of *Lactobacillus coryniformis* Si3. *J. Ind. Microbiol. Biotechnol.* **35**:175-181.
- Duldhardt I., Nijenhuis I., Schauer F., Heipieper H.J.** (2007) Anaerobically grown *Thauera aromatica*, *Desulfococcus multivorans*, *Geobacter sulfurreducens* are more sensitive towards organic solvents than aerobic bacteria. *Appl. Microbiol. Biotechnol.* **77**:705-711.
- Heipieper H.J., Neumann G., Cornelissen S., Meinhardt F.** (2007) Solvent-tolerant bacteria for biotransformations in two-phase fermentation systems. *Appl. Microbiol. Biotechnol.* **74**:961-973.
- Unell M., Kabelitz N., Jansson J.K., Heipieper H.J.** (2007) Adaptation of the psychrotroph *Arthrobacter chlorophenolicus* A6 to growth temperature and the presence of phenols by changes in the anteiso/iso ratio of branched fatty acids. *FEMS Microbiol. Lett.* **266**:138-143.
- Lange F., Cornelissen S., Kubac D., Sein M.M., von Sonntag J., Hannich C.B., Golloch A., Heipieper H.J., Möder M., von Sonntag C.** (2006) Degradation of macrolide antibiotics by ozone: a mechanistic case study with clarithromycin. *Chemosphere* **65**:17-23.
- Neumann G., Cornelissen S., van Breukelen F., Hunger S., Lippold H., Loffhagen N., Wick L.Y., Heipieper H.J.** (2006) Energetics and surface properties of *Pseudomonas putida* DOT-T1E in a two-phase fermentation system with 1-decanol as second phase. *Appl. Environ. Microbiol.* **72**:4232-4238.
- Veeranagouda Y., Karegoudar T.B., Neumann G., Heipieper H.J.** (2006) *Enterobacter* sp. VKGH12 growing with *n*-butanol as sole carbon source and cells to which the alcohol is added as pure toxin show great differences in their adaptive responses. *FEMS Microbiol. Lett.* **254**:48-54.
- Neumann G., Kabelitz N., Zehnsdorf A., Miltner A., Lippold H., Meyer D., Schmid A., Heipieper H.J.** (2005) Prediction of the adaptability of *Pseudomonas putida* DOT-T1E to a second phase of a solvent for economically sound two-phase biotransformations. *Appl. Environ. Microbiol.* **71**:6606-6612.
- Heipieper H.J., Chiou R.Y.Y.** (2005) Adaptation of *Escherichia coli* to ethanol on the level of membrane fatty acid composition. *Appl. Environ. Microbiol.* **71**:3388.
- Mutnuri S., Vasudevan N., Kastner M., Heipieper H.J.** (2005) Changes in fatty acid composition of *Chromohalobacter israelensis* with varying salt concentrations. *Curr. Microbiol.* **50**:151-154.
- de Carvalho C.C.C.R., Parreno-Marchante B., Neumann G., da Fonseca M.M.R., Heipieper H.J.** (2005) Adaptation of *Rhodococcus erythropolis* DCL14 to growth on n-alkanes, alcohols and terpenes. *Appl. Microbiol. Biotechnol.* **67**:383-388.
- Neumann G., Veeranagouda Y., Karegoudar T.B., Sahin O., Mäusezahl I., Kabelitz N., Kappelmeyer U., Heipieper H.J.** (2005) Cells of *Pseudomonas putida* and *Enterobacter* sp. adapt to toxic organic compounds by increasing their size. *Extremophiles* **9**:163-168.
- Viegas C.A., Cabral M.G., Teixeira M.C., Neumann G., Heipieper H.J., Sá-Correia I.** (2005) Yeast adaptation to 2,4-dichlorophenoxyacetic acid (2,4-D) involves increased membrane fatty acids saturation degree and decreased OLE1 transcription. *Biochem. Biophys. Res. Comm.* **330**:271-278.
- Tamburro A., Robuffo I., Heipieper H.J., Allocati N., Rotilio D., Di Ilio C., Favaloro B.** (2004) Expression of glutathione S-transferase (GST) and peptide methionine sulphoxide

reductase (MsrA) in *Ochrobactrum anthropi* is correlated to the production of reactive oxygen species (ROS) caused by aromatic substrates. FEMS Microbiol. Lett. **241**:151-156.

Heipieper H.J., Neumann G., Kabelitz N., Kastner M., Richnow H.H. (2004) Carbon isotope fractionation during *cis-trans* isomerization of unsaturated fatty acids in *Pseudomonas putida*. Appl. Microbiol. Biotechnol. **66**:285 - 290.

Neumann G., Teras R., Monson L., Kivisaar M., Schauer F., Heipieper H.J. (2004) simultaneous degradation of atrazine and phenol by *Pseudomonas* sp. ADP: effects of toxicity and adaptation. Appl. Environ. Microbiol. **70**:1907-1912.

Heipieper H.J., Meinhardt F., Segura A. (2003) The *cis-trans* isomerase of unsaturated fatty acids in *Pseudomonas* and *Vibrio*: biochemistry, molecular biology and physiological function of an unique stress adaptive mechanism. FEMS Microbiol. Lett. **229**:1-7.

Neumann G., Kabelitz N., Heipieper H.J. (2003) The regulation of the *cis-trans* isomerase (cti) of unsaturated fatty acids in *Pseudomonas putida*: correlation between cti activity and K⁺-uptake systems. Eur. J. Lipid Sci. Technol. **105**:585-589.

Kabelitz N., Santos P.M., Heipieper H.J. (2003) Effect of aliphatic alcohols on growth and degree of saturation of membrane lipids in *Acinetobacter calcoaceticus*. FEMS Microbiol. Lett. **220**:223-227.

von Wallbrunn A., Richnow H.H., Neumann G., Meinhardt F., Heipieper H.J. (2003) Mechanism of *cis-trans* isomerization of unsaturated fatty acids in *Pseudomonas putida*. J. Bacteriol. **185**:1730-1733.

von Wallbrunn A., Heipieper H.J., Meinhardt F. (2002) *Cis/trans* isomerisation of unsaturated fatty acids in a cardiolipin synthase knock-out mutant of *Pseudomonas putida* P8. Appl. Microbiol. Biotechnol. **60**:179-185.

Santos P.M., Mignogna G., Heipieper H.J., Zennaro E. (2002) Occurrence and properties of glutathione S-transferases in phenol-degrading *Pseudomonas* strains. Res. Microbiol. **153**:89-98.

Heipieper H.J., de Waard P., van der Meer P., Killian J.A., Isken S., de Bont J.A.M., Eggink G., de Wolf F.A. (2001) Regiospecific effect of 1-octanol on *cis-trans* isomerisation of unsaturated fatty acids in the solvent-tolerant strain *Pseudomonas putida* S12. Appl. Microbiol. Biotechnol. **57**:541-547.

Hage A., Wever R., Schoemaker H.E., Zennaro E., Heipieper H.J. (2001) Determination of the toxicity of several aromatic carbonylic compounds and their reduced derivatives on *Phanerochaete chrysosporium* using a *Pseudomonas putida* test system. Biotechnol. Bioeng. **73**:69-73.

Heipieper H.J., Isken S., Saliola M. (2000) Ethanol tolerance and membrane fatty acid adaptation in *adh* multiple and null mutants of *Kluyveromyces lactis*. Res. Microbiol. **151**:777-784.

Favaloro B., Tamburro A., Trofino M.A., Bologna L., Rotilio D., Heipieper H.J. (2000) Modulation of the glutathione S-transferase in *Ochrobactrum anthropi*: function of xenobiotic substrates and other forms of stress. Biochem. J. **346**:553-559.

Bychek-Guschina, I.A., Kotlova, K.R., Heipieper H.J. (1999) Effects of sulfur dioxide on lichen lipids and fatty acids. Biochemistry (Moscow) **64**:61-65.

Heipieper H.J., de Bont J.A.M. (1997) Methane oxidation by Dutch grassland and peat soil microflora. Chemosphere **35**:3025-3037.

Kets E.P.W., Galinski E.A., de Wit M., de Bont J.A.M., Heipieper H.J. (1996) Mannitol: a novel compatible solute in *Pseudomonas putida* S12. J. Bacteriol. **178**:6665-6670.

Keweloh H., Loffeld B., Heipieper H.J. (1996) *Trans*-ungesättigte Fettsäuren bei Bakterien - Vorkommen, Synthese und Bedeutung. BIOSpektrum **2**:18-25.

Heipieper H.J., Meulenbeld G., van Oirschot Q., de Bont J.A.M. (1996) Effect of environmental factors on the *trans/cis* ratio of unsaturated fatty acids in *Pseudomonas putida* S12. Appl. Environ. Microbiol. **62**:2773-2777.

- Kets E.P.W., de Bont J.A.M., Heipieper H.J.** (1996) Physiological response of *Pseudomonas putida* S12 subjected to reduced water activity. *FEMS Microbiol. Lett.* **139**:133-137.
- Keweloh H., Heipieper H.J.** (1996) *Trans*-unsaturated fatty acids in bacteria. *Lipids* **31**:129-137.
- Heipieper H.J., Loffeld B., Keweloh H., de Bont J.A.M.** (1995) The *cis/trans* isomerization of unsaturated fatty acids in *Pseudomonas putida* S12: An indicator for environmental stress due to organic compounds. *Chemosphere* **30**:1041-1051.
- Heipieper H.J., de Bont J.A.M.** (1994) Adaptation of *Pseudomonas putida* S 12 to ethanol and toluene at the level of fatty acid composition of membranes. *Appl. Environ. Microbiol.* **60**:4440-4444.
- Heipieper H.J., Weber F.J., Sikkema J., Keweloh H., de Bont J.A.M.** (1994) Mechanisms of resistance of whole cells to toxic organic solvents. *Trends Biotechnol. (TIBTECH)* **12**:409-415.
- Sikkema J., Weber F.J., Heipieper H.J., de Bont J.A.M.** (1994) Cellular toxicity of lipophilic compounds: Mechanisms, implications, and adaptations. *Biocatalysis* **10**:113-122.
- Diefenbach R., Heipieper H.J., Keweloh H.** (1992) The conversion of *cis* into *trans* unsaturated fatty acids in *Pseudomonas putida* P8: evidence for a role in the regulation of membrane fluidity. *Appl. Microbiol. Biotechnol.* **38**:382-387.
- Heipieper H.J., Diefenbach R., Keweloh H.** (1992) Conversion of *cis* unsaturated fatty acids to *trans*, a possible mechanism for the protection of phenol-degrading *Pseudomonas putida* P8 from substrate toxicity. *Appl. Environ. Microbiol.* **58**:1847-1852.
- Keweloh H., Backhaus R., Weyrauch G., Heipieper H.J., Rehm H.J.** (1991) Physiologische Ursachen der Phenoltoleranz immobilisierter Bakterien. *gwf Wasser Abwasser* **132**:347-349.
- Heipieper H.J., Keweloh H., Rehm H.J.** (1991) Influence of phenols on growth and membrane permeability of free and immobilized *Escherichia coli*. *Appl. Environ. Microbiol.* **57**:1213-1217.
- Keweloh H., Heipieper H.J., Rehm H.J.** (1989) Protection of bacteria against toxicity of phenol by immobilization in calcium alginate. *Appl. Microbiol. Biotechnol.* **31**:383-389.

Peer Reviewed Book Editions

- Heipieper H.J.** (Ed.) (2007) *Bioremediation of Soils Contaminated with Aromatic Compounds*. NATO Science Series, IV. Earth and Environmental Sciences – Vol. **76**. Springer, Dordrecht, The Netherlands.

Peer Reviewed Book Contributions

- Wierckx N., Narancic T., Eberlein C., Wei R., Drzyzga O., Magnin A., Ballerstedt H., Kenny S., Pollet E., Avérous L., O'Connor K.E., Zimmermann W., Heipieper H.J., Prieto A., Jiménez J., Blank L.M.** (2019) Plastic biodegradation: challenges and opportunities. In: Steffan R. (Ed.) *Handbook of Hydrocarbon and Lipid Microbiology. Consequences of Microbial Interactions with Hydrocarbons, Oils, and Lipids: Biodegradation and Bioremediation*. Springer, Berlin, Heidelberg. Chapter **18**, pp. 333-361.
- Depayras S., Kondakova T., Heipieper H.J., Feuilleley M., Orange N., Duclairoir-Poc C.** (2018) The hidden face of nitrogen oxides species - from toxic effects to potential cure? in: Soloneski S., Larramendy M.L. (Eds.) *Emerging Pollutants - Some Strategies for the Quality Preservation of our Environment*. InTechOpen, London. Chapter **2**, pp. 19-44.
- Heipieper H.J., Martínez P.** (2018) Toxicity of hydrocarbons to microorganisms. In: Krell T. (Ed.) *Handbook of Hydrocarbon and Lipid Microbiology. Cellular Ecophysiology of Microbe*. Springer, Berlin, Heidelberg. Chapter **21**. pp. 335-344.

- Heipieper H.J., Fischer J., Meinhardt F.** (2018) *Cis-trans* isomerase of unsaturated fatty acids: an immediate bacterial adaptive mechanism to cope with emerging membrane perturbation caused by toxic hydrocarbons. In: Krell T. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Cellular Ecophysiology of Microbe. Springer, Berlin, Heidelberg. Chapter **25**. pp. 385-395.
- Heipieper H.J., Pepi M., Baumgarten T., Eberlein C.** (2018) Surface properties and cellular energetics of bacteria in response to the presence of hydrocarbons. In: Krell T. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Cellular Ecophysiology of Microbe. Springer, Berlin, Heidelberg. Chapter **26**. pp. 397-408.
- Heipieper H.J., Hachicho N.** (2017) Bacterial solvent responses and tolerance: *cis-trans* isomerization. In: McGenity T.J., Timmis K.N., Nogales Fernández B. (Eds.) Hydrocarbon and Lipid Microbiology Protocols. Springer, Berlin, Heidelberg. Vol. **11** Activities and Phenotypes. pp. 111-118.
- Baumgarten T., Heipieper H.J.** (2016) Outer membrane vesicle secretion: From envelope stress to biofilm formation. In: de Bruijn F.J. (Ed.) Stress and Environmental Control of Gene Expression in Bacteria. Wiley-Blackwell. Chapter **22.9**, pp. 1322-1327.
- Heipieper H.J.** (2016) Introduction to Volume 6: Biochemical Methods. In: McGenity T.J., Timmis K.N., Nogales Fernández B. (Eds.) Hydrocarbon and Lipid Microbiology Protocols. Springer, Berlin, Heidelberg. Vol. **6** Biochemical Methods. pp. 1-2.
- Hachicho N., Heipieper H.J.** (2016) Isolation and analysis of membrane phospholipids as biomarkers. In: McGenity T.J., Timmis K.N., Nogales Fernández B. (Eds.) Hydrocarbon and Lipid Microbiology Protocols. Springer, Berlin, Heidelberg. Vol. **6** Biochemical Methods. pp. 123-132.
- Heipieper H.J., Martínez P.** (2010) Toxicity of hydrocarbons to microorganisms. In: Timmis K.N. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Springer, Berlin, Heidelberg. Vol. **2**, Part **9**, pp. 1565-1573.
- Heipieper H.J., Fischer J., Meinhardt F.** (2010) *Cis-trans* isomerase of unsaturated fatty acids: an immediate bacterial adaptive mechanism to cope with emerging membrane perturbation caused by toxic hydrocarbons. In: Timmis K.N. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Springer, Berlin, Heidelberg. Vol. **2**, Part **9**, pp. 1605-1614.
- Heipieper H.J., Cornelissen S., Pepi M.** (2010) Surface properties and cellular energetics of bacteria in response to the presence of hydrocarbons. In: Timmis K.N. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Springer, Berlin, Heidelberg. Vol. **2**, Part **9**, pp. 1615-1624.
- Heipieper H.J.** (2010) Isolation and analysis of lipids, biomarkers. In: Timmis K.N. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Springer, Berlin, Heidelberg. Vol. **5**, Part **2**, pp. 3743-3750.
- Heipieper H.J., Fischer J.** (2010) Bacterial solvent responses and tolerance: *cis-trans* isomerization. In: Timmis K.N. (Ed.) Handbook of Hydrocarbon and Lipid Microbiology. Springer, Berlin, Heidelberg. Vol. **5**, Part **4**, pp. 4203-4211.
- Heipieper H.J.** (2007) Bioremediation of soils contaminated with aromatic compounds. Effects of rhizosphere, bioavailability, gene regulation and stress adaptation. In: Heipieper H.J. (Ed.) Bioremediation of Soils Contaminated with Aromatic Compounds. NATO Science Series, IV. Earth and Environmental Sciences – Vol. **76**. Springer, Dordrecht, The Netherlands. pp. 1-4.
- Segura A., Heipieper H.J., Terán W., Guazzaroni M.E., Rojas A., Duque E., Gallegos M.T., Ramos J.L.** (2004) Enzymatic activation of the *cis-trans* isomerase and transcriptional regulation of efflux pumps in solvent tolerance in *Pseudomonas putida*. in: Ramos J.L. (Ed.) The *Pseudomonads*, Vol II. Virulence and Gene Regulation. Kluwer Press, Dordrecht. Chapter 17, pp. 479-508.

Isken S., Heipieper H.J. (2002) Toxicity of organic solvents to microorganisms. in: Bitton G. (Ed.) Encyclopedia of Environmental Microbiology. John Wiley, New York. Vol. 6 pp. 3147-3155.