

Publications

Papers

Weichler, M.-T., Kurteva-Yaneva, N., Przybylski, D., Schuster, J., Müller, R.H., Harms, H., Rohwerder, T. (2015). Thermophilic coenzyme B₁₂-dependent acyl-coenzyme A (CoA) mutase from *Kyrpidia tusciae* DSM 2912 preferentially catalyzes isomerization of (*R*)-3-hydroxybutyryl- and 2-hydroxyisobutyryl-CoA. *Appl. Environ. Microbiol.*, doi: 10.1128/AEM.00716-15

Kurteva-Yaneva, N., Zahn, M., Weichler, M.-T., Starke, R., Harms, H., Müller, R.H., Sträter, N., Rohwerder, T. (2015). Structural basis of the stereospecificity of bacterial B₁₂-dependent 2-hydroxyisobutyryl-CoA mutase. *J. Biol. Chem.* **290**: 9727–9737.

Przybylski, D., Rohwerder, T., Dillßner, C., Maskow, T., Harms, H., Müller, , Müller, R.H. (2015). Exploiting mixtures of H₂, CO₂, and O₂ for improved production of methacrylate precursor 2-hydroxyisobutyric acid by engineered *Cupriavidus necator* strains. *Appl. Microbiol. Biotechnol.* **99**: 2131–2145.

Przybylski, D., Rohwerder, T., Harms, H., Yaneva, N., Müller, R.H. (2013). Synthesis of the building block 2-hydroxyisobutyrate from fructose and butyrate by *Cupriavidus necator* H16. *Appl. Microbiol. Biotechnol.* **97**: 8875–8885.

Rohwerder, T., Müller, R.H., Weichler, M.T., Schuster, J., Hübschmann, T., Müller, S., Harms, H. (2013). Cultivation of *Aquicola tertiarycarbonis* L108 on the fuel oxygenate intermediate *tert*-butyl alcohol induces aerobic anoxygenic photosynthesis at extremely low feeding rates. *Microbiology-(UK)* **159**: 2180–2190.

Schuster, J., Purswani, J., Breuer, U., Pozo, C., Harms, H., Müller, R.H., Rohwerder, T. (2013). Constitutive expression of the cytochrome P450 EthABCD monooxygenase system enables degradation of synthetic dialkyl ethers in *Aquicola tertiarycarbonis* L108. *Appl. Environ. Microbiol.* **79**: 2321–2327.

Schuster, J., Schäfer, F., Hübler, N., Brandt, A., Rosell, M., Härtig, C., Harms, H., Müller, R.H., Rohwerder, T. (2012). Bacterial degradation of *tert*-amyl alcohol proceeds via hemiterpene 2-methyl-3-buten-2-ol by employing the tertiary alcohol desaturase function of the Rieske nonheme mononuclear iron oxygenase MdpJ. *J. Bacteriol.* **194**: 972–981.

Rosell, M., Gonzalez-Olmos, R., Rohwerder, T., Rusevova, K., Georgi, A., Kopinke, F.-D., Richnow, H.H. (2012). Critical evaluation of the 2D-CSIA scheme for distinguishing fuel oxygenate degradation reaction mechanisms. *Environ. Sci. Technol.* **46**: 4757–4766.

Yaneva, N., Schuster, J., Schäfer, F., Lede, V., Przybylski, D., Paproth, T., Harms, H., Müller, R.H., Rohwerder, T. (2012). Bacterial acyl-CoA mutase specifically catalyzes coenzyme B₁₂-dependent isomerization of 2-hydroxyisobutyryl-CoA and (S)-3-hydroxybutyryl-CoA. *J. Biol. Chem.* **287**: 15502–15511.

Schäfer, F., Schuster, J., Würz, B., Härtig, C., Harms, H., Müller, R.H., Rohwerder, T. (2012). Synthesis of short-chain diols and unsaturated alcohols from secondary alcohol substrates by the Rieske nonheme mononuclear iron oxygenase MdpJ. *Appl. Environ. Microbiol.* **78**: 6280–6284.

Przybylski, D., Rohwerder, T., Harms, H., Müller, R.H. (2012). Third-generation feed stocks for the clean and sustainable biotechnological production of bulk chemicals: synthesis of 2-hydroxyisobutyric acid. *Energy, Sustainability and Society* **2**: art. 11

Jechalke, S., Rosell, M., Martínez-Lavanchy, P.M., Pérez-Leiva, P., Rohwerder, T., Vogt, C., Richnow, H.H. (2011). Linking low-level stable isotope fractionation to expression of the cytochrome P450 monooxygenase-encoding *ethB* gene for elucidation of methyl *tert*-butyl ether biodegradation in aerated treatment pond systems. *Appl. Environ. Microbiol.* **77**: 1086–1096.

Schäfer, F., Muzica, L., Schuster, J., Treuter, N., Rosell, M., Harms, H., Müller, R.H., Rohwerder, T. (2011). Formation of alkenes via degradation of *tert*-alkyl ethers and alcohols by *Aquicola tertiarycarbonis* L108 and *Methylibium* spp. *Appl. Environ. Microbiol.* **77**: 5981–5987.

Rohwerder, T., Müller, R.H. (2010). Biosynthesis of 2-hydroxyisobutyric acid (2-HIBA) from renewable carbon. *Microb. Cell. Fact.* **9**:13

Ruiz, L.M., Valenzuela, S., Castro, M., Gonzalez, A., Frezza, M., Soulère, L., Rohwerder, T., Queneau, Y., Doutheau, A., Sand, W., Jerez, C.A., Guiliani, N. (2008). AHL communication is a widespread phenomenon in biomining bacteria and seems to be involved in mineral-adhesion efficiency. *Hydrometallurgy* **94**: 133–137.

Mangold, S., Laxander, M., Harneit, K., Rohwerder, T., Claus, G., Sand, W. (2008). Visualization of *Acidithiobacillus ferrooxidans* biofilms on pyrite by atomic force and epifluorescence microscopy under various experimental conditions. *Hydrometallurgy* **94**: 127–132.

Rohwerder, T., Sand, W. (2008). Properties of thiols required for sulfur dioxygenase activity at acidic pH. *J. Sulfur Chem.* **29**: 293-302.

Müller, R.H., Rohwerder, T., Harms, H. (2008). Degradation of fuel oxygenates and their main intermediates by *Aquicola tertiarycarbonis* L108. *Microbiology (SGM)* **154**: 1414-1421.

Mangold, S., Harneit, K., Rohwerder, T., Claus, G., Sand, W. (2008). Novel combination of atomic force and epifluorescence microscopy for visualization of leaching bacteria on pyrite. *Appl. Environ. Microbiol.* **74**: 410-415.

Lechner, U., Brodkorb, D., Hause, G., Härtig, C., Auling, G., Geyer, R., Fayolle-Guichard, F., Piveteau, P., Müller, R.H., Rohwerder, T. (2007). *Aquincola tertiaricarbonis*, gen. nov., sp. nov., a tertiary butyl moieties degrading bacterium. *Int. J. Syst. Evol. Microbiol.* **57**: 1295-1303.

Rosell, M., Barcelo, D., Rohwerder, T., Breuer, U., Gehre, M., Richnow, H.H. (2007). Variations in $^{13}\text{C}/^{12}\text{C}$ and D/H enrichment factors of aerobic bacterial fuel oxygenate degradation. *Environ. Sci. Technol.* **41**: 2036-2043.

Müller, R.H., Rohwerder, T., Harms, H. (2007). Carbon conversion efficiency and the limits of productive bacterial degradation of methyl *tert*-butyl ether (MTBE) and related compounds. *Appl. Environ. Microbiol.* **73**: 1783-1791.

Rohwerder, T., Sand, W. (2007). Oxidation of inorganic sulfur compounds in acidophilic prokaryotes. *Eng. Life Sci.* **7**: 301-309.

Hübschmann, T., Vogt, C., Till, S., Rohwerder, T., Sand, W., Harms, H., Müller, S. (2007). Detection of sulfur microparticles in bacterial cultures by flow cytometry. *Eng. Life Sci.* **7**: 403-407.

Rohwerder, T., Breuer, U., Benndorf, D., Lechner, U., Müller, R.H. (2006). The alkyl *tertiary* butyl ether intermediate 2-hydroxyisobutyrate is degraded via a novel cobalamin-dependent mutase pathway. *Appl. Environ. Microbiol.* **72**: 239–248.

Rohwerder, T., Gehrke, T., Kinzler, K., Sand, W. (2003). Bioleaching review part A: Progress in bioleaching: fundamentals and mechanisms of bacterial metal sulfide oxidation. *Appl. Microbiol. Biotechnol.* **63**: 239–248.

Rohwerder, T., Sand, W. (2003). The sulfane sulfur of persulfides is the actual substrate of the sulfur-oxidizing enzymes from *Acidithiobacillus* and *Acidiphilium* spp. *Microbiology (SGM)* **149**: 1699-1709.

Rohwerder, T., Sand, W., Lascu, C. (2003). Preliminary evidence for a sulphur cycle in Movile Cave, Romania. *Acta Biotechnol.* **23**: 101-107.

Schippers, A., Rohwerder, T., Sand, W. (1999). Intermediary sulfur compounds in pyrite oxidation: Implications for bioleaching and biodepyritization of coal. *Appl. Microbiol. Biotechnol.* **52**:104-110.

Rohwerder, T., Schippers, A., Sand, W. (1998). Determination of reaction energy values for biological pyrite oxidation by calorimetry. *Thermochim. Acta* **309**: 79-85.

Book chapters

Rohwerder, T., Florian, B.M., Bellenberg, S., Wentzien, S., Sand, W. (2008). Monitoring activities of leaching microorganisms at coal mining sites. In: G. B. Fosdyke (ed.) *Coal mining: research, technology and safety*. Nova Science Publishers, Hauppauge, New York.

Rohwerder, T., Sand, W. (2007). Mechanisms and biochemical fundamentals of bacterial metal sulfide oxidation. In: E. Donati, W. Sand (eds.). *Microbial processing of metal sulfides*. Springer, New York, pp. 35-58.

Rohwerder, T., Müller, R.H. (2007). New bacterial cobalamin-dependent CoA-carbonyl mutases involved in degradation pathways. In: C. M. Elliot (ed.). *Vitamin B research advances*. Nova Science Publishers, Hauppauge New York, pp. 81-98.

Rohwerder, T., Jozsa, P.-G., Gehrke, T., Sand, W. (2002). Bioleaching. In: G. Bitton (ed.). *Encyclopedia of Environmental Microbiology*. Vol. 2, Wiley, New York, pp. 632-641.

Sand, W., v. Rège, H., Rohwerder, T., Schippers, A., Wentzien, S. (1999). Kalorimetrische Quantifizierung der Schwermetallmobilisierung in Laugungsbiotopen. In: S. Heiden (ed.). *Innovative Techniken der Bodensanierung*. Spektrum, Heidelberg, pp. 190-212.

Patent Applications

Rohwerder, T., Müller, R.H., Yaneva, N., Schuster, J., Sajfutdinow, M. (2012). Verfahren zur Isomerisierung von (*R*)-3-Hydroxycarbonsäuren zu 2-Hydroxy-2-methylcarbonsäuren / Method for isomerizing (*R*)-3-hydroxycarboxylic acids to 2-hydroxy-2-methylcarboxylic acids. DE 10 2012 216 904; WO 2014/044674.

Haas, T., Schiemann, Y., Przybylski, D., Rohwerder, T., Müller, R.H., Harms, H. (2012). Biotechnological 2-hydroxyisobutyric acid production. WO 2013/186340.

Müller, R.H., Breuer, U., v. Bergen, M., Benndorf, D., Rohwerder, T., Schäfer, F. (2007). Verfahren zur Produktion von 2-Methyl-1,2-dihydroxypropan unter Nutzung einer TBA-Monooxygenase / Method for producing 2-methyl-1,2-dihydroxypropane. DE 10 2007 045 093; PCT/EP2008/062217; WO 2009/037217.

Müller, R.H., Rohwerder, T. (2007). Verfahren zur enzymatischen Herstellung von 2-Hydroxy-2-methylcarbonsäuren / Method for the enzymatic production of 2-hydroxy-2-methylcarboxylic acids. DE 10 2006 017 760; PCT/EP2007/05283; WO/2007/110394. (*Nominated for the Evonik European Science-to-Business Award 2008.*)

Rohwerder, T., Müller, R.H., Martiensen, M. (2007). Verfahren für den vollständigen biologischen Abbau von MTBE und TBA in Anwesenheit weiterer organischer Schadstoffe mittels trägerfixierter Mikroorganismen. DE 10 2006 022 042.

Technical papers

Rohwerder, T., v. Rège, H., Sand, W. (2004). Evaluation of biocide efficacy by microcalorimetric online monitoring of bacterial activity in biofilms. *Thermometric Application Notes*, 2190/(22038).