

This is the preprint of the contribution published as:

Fischer, R., **Drechsler, M., Frank, K.**, Berger, U., Wang, H.-H., Semeniuk, C., Armstrong, A., **Grimm, V.** (2025):
Ecological modelling for transformation
Ecol. Model.

The publisher's version is available at:

<https://doi.org/10.1016/j.ecolmodel.2025.111119>

Ecological modelling for transformation

Rico Fischer¹, Martin Drechsler², Karin Frank^{2,3,4}, Uta Berger⁵, Hsiao-Hsuan Wang⁶, Christina Semeniuk⁷, Amanda Armstrong⁸, Volker Grimm^{2,4,9}

1 Julius Kühn-Institute (JKI) - Federal Research Center for Cultivated Plants, Institute for Forest Protection, Quedlinburg, Germany

2 Helmholtz-Centre for Environmental Research - UFZ, Leipzig, Germany

3 University of Osnabrück, Institute of Environmental Systems Research (IUSF), Osnabrück, Germany

4 German Centre for Integrative Biodiversity Research (iDiv) Halle-Jena-Leipzig, Leipzig, Germany

5 TU Dresden, Faculty of Environmental Sciences, Tharandt, Germany

6 Texas A&M University, Department of Ecology and Conservation Biology, College Station, Texas, United States of America

7 University of Windsor, Windsor, Ontario, Canada

8 NASA Goddard Space Flight Center, Maryland, United States of America

9 University of Potsdam, Plant Ecology and Nature Conservation, Potsdam, Germany

In a world where biodiversity and ecosystem services are at high risk, business as usual is no longer an option. Transforming the way societies manage natural resources is urgently needed, but requires a better understanding of how ecological and socio-ecological systems respond to change and human intervention. Ecological modelling must therefore aim to predict the response to change and address multiple scales of time, space and organisation relevant to management. This special issue follows the 9th European Conference on Ecological Modelling in Leipzig, Germany (ECEM 2023) and includes contributions that directly or indirectly support transformation and change.

ECEM 2023 continues a series of conferences initiated by the European Chapter of the International Society for Ecological Modelling (ISEM). The conference took place in September 2023 at the Helmholtz Centre for Environmental Research - UFZ in Leipzig, Germany, and was organised by the Department of Ecological Modelling. It was attended by 350 participants from 28 countries. Given the lack of such meetings due to the COVID pandemic, they all agreed that such face-to-face meetings are essential to be inspired and to inspire others, to meet new colleagues and to develop new ideas and plans.

This special issue of Ecological Modelling brings together a diverse array of contributions that advance our understanding of complex ecological processes through innovative modelling approaches. The studies span a wide range of topics - from forest dynamics to socio-ecological modelling, predictive species distribution and ecotoxicological assessments, marine and coastal ecosystem dynamics, as well as agricultural landscapes and grassland management. Together, these articles offer novel insights into ecosystem resilience, the interplay between environmental stressors and human management, and the methodological advances needed to address today's ecological challenges. In doing so, these contributions help us to make ecological modelling fit for supporting transformation. Interestingly, only one paper mentions 'theory' in its title, reminding us that while it is important to model specific systems and questions, ecological modelling also needs to help in developing and testing theories and general concepts.

Wang et al. (2025). This study presents an agent-based model that simulates the interactions between fire and grazing on a hypothetical 4000-ha ranch, thereby capturing the spatiotemporal dynamics of woody plant encroachment, forage production, and cattle performance in a savanna-type ecosystem. The model explores how different adaptive management strategies—via adjustments in stocking rates and prescribed fire thresholds—can influence long-term ranch ecological condition and economic outputs.

Agricultural landscapes and grasslands in transformation

This category includes contributions that deal with the ecological, economic and land use-related dynamics in agricultural landscapes and grasslands. The focus is on individual-based models and theoretical approaches that analyse the interactions between management decisions, disturbances and the resulting ecological processes.

Crispim-Mendes et al. (2024). This study employs an individual-based demographic model to examine how variations in patch size, internal quality, connectivity, and patch lifespan influence local population dynamics in ephemeral habitats. Results indicate that higher patch quality and longer lifespans enhance the likelihood of a patch becoming a temporary source.

Marques et al. (2024). This paper presents an individual-based model that quantifies the impacts of anthropogenic mortality on territorial predators (i.e., electrocution by power lines), using Bonelli's eagle as a case study. It differentiates between territorial and non-territorial individuals to assess how spatial patterns of additional mortality affect overall population dynamics.

Nothaaß and Huth (2025). The study analyzes how the sudden extinction of a species alters the equilibrium abundances in a spatial competition model and reshapes the overall community composition in grassland ecosystems. It compares geometric and exponential rank-abundance scenarios to illustrate the cascading effects of extinction on inferior competitors.

Ogawa et al. (2024). The study examines how farmland birds adjust their habitat selection relative to the availability of different land-use types—both those under agri-environment schemes and conventional land uses—using hierarchical distance sampling and mixed-effects modelling. Results indicate that birds tend to show negative functional responses (i.e. reduced selection) for certain habitats as those habitats become more widely available, suggesting that habitat availability is a key driver of observed occurrence patterns.

Modelling forest dynamics and their management in a changing world

Contributions in this category deal with growth processes, drought and other stress effects on forested landscapes. Tree mortality and economic-ecological optimisation of forest management seem to be of interest for many studies.

Anders et al. (2025). This paper develops logistic regression models for drought-related mortality of Norway spruce, calibrated with historical mortality data from German forest surveys, and integrates these data-driven models into a dynamic vegetation model. Future climate simulations predict periodic spikes in mortality that could substantially reduce aboveground biomass and potential wood harvest, highlighting a severe risk for spruce forest dieback.

Axer et al. (2025). The paper introduces a quantile regression approach implemented in the R package quaxnat to estimate the potential natural regeneration density of Douglas-fir as a function of distance

to seed source using various dispersal kernels. This method is applied to extensive forest inventory data to inform management and conservation strategies.

Boyce et al. (2025). The paper investigates oak regeneration by comparing different sizes of small-scale clearings and uses a demographic forest model based on the Perfect Plasticity Approximation to simulate long-term overstory dynamics. It provides management insights by estimating the annual planting rate needed to achieve a target oak overstory cover in the Leipzig Floodplain Forest.

Elles et al. (2025). This study employs the Perfect Plasticity Approximation to simulate long-term changes in species composition in the Leipzig Floodplain Forest under different groundwater conditions. The model projects that simply raising groundwater levels may not suffice to conserve key floodplain species, highlighting the need for integrated management measures.

Holtmann et al. (2024). The study investigates the impact of multi-year droughts on German forests, focusing on tree mortality, biomass loss, and productivity decline using an individual-based forest growth model. The results indicate that prolonged droughts significantly reduce gross primary production and aboveground biomass, with monocultures and even-aged forests being more vulnerable than mixed and uneven-aged forests.

Rammer et al. (2024). This overview paper synthesizes 12 years of development of the iLand model, which simulates forest dynamics at the individual-tree level across heterogeneous landscapes. It details how iLand integrates processes such as growth, mortality, regeneration, and disturbances to project forest trajectories under changing conditions.

Scheiter et al. (2024). This work employs a trait-based dynamic vegetation model to simulate drought impacts on biomass, mortality, and recovery in tropical savannas and forests under future climate scenarios. It examines how hydraulic traits and demographic responses drive resilience and adaptation during and after prolonged drought periods.

Schorn et al. (2025). This study introduces a novel ecological-economic optimization framework that couples the Perfect Plasticity Approximation demographic forest model with a bioeconomic module to simulate forest dynamics and optimize timber harvesting strategies while conserving biodiversity. Using repeated inventory data from a beech-dominated forest in Thuringia, Germany, the model quantifies the trade-offs between maximizing economic returns and retaining large habitat trees.

Verbeeck et al. (2024). This paper reviews the challenges of representing lianas in vegetation models and proposes a conceptual framework for defining a liana plant functional type based on key morphological and physiological traits. It discusses potential implementation strategies and data requirements to improve liana representation in ecosystem simulations.

Wimmler and Berger (2024). This study introduces pyNET - an agent-based model built on the pyMANGA platform - to explore the emergence and structure of root graft networks among trees. It examines how costs of graft formation, resource redistribution, and individual tree characteristics drive network properties such as group size and connectivity.

Predictive modelling approaches in marine, coastal and fisheries systems

This thematic block brings together contributions that deal with the dynamics of marine and coastal ecosystems as well as work that addresses behavioural ecology aspects. This includes contributions

that focus on the prediction of species distributions and the transferability of models as well as those that present models and sensitivity analyses for environmental and chemical risk assessments.

Guisnet et al. (2025). This study conducts a comprehensive global sensitivity analysis - using both Morris screening and Sobol variance-based methods - on a mechanistic toxicokinetic/toxicodynamic model for Lemna to determine which parameters most affect biomass and growth rate responses under different exposure scenarios. The findings help prioritize key physiological and toxicokinetic/toxicodynamic parameters to improve model predictions for pesticide impacts.

Mangold-Döring et al. (2024). This paper investigates the impact of incorporating temperature corrections into toxicity parameters within an individual-based model that combines a dynamic energy budget framework with toxicokinetic-toxicodynamic models. By combining these approaches with a temperature-corrected version, the study shows that applying temperature corrections can significantly alter population dynamics under varying exposure scenarios.

Muller et al. (2024). This paper presents a hybrid modelling framework that couples a coastal hydrodynamic model with machine learning to predict the seasonal dynamics of intertidal seagrass. It shows how local environmental conditions, such as light availability, and physical stressors, such as shear stress, control seagrass growth and spatial variability in Arcachon Bay, France.

Peters et al. (2025). This study introduces a mechanistic eco-hydrological model that simulates soil water dynamics to predict soil moisture and salinity in tropical saltmarshes. By applying the model to a site in Brazil, the authors demonstrate how variations in tidal flooding and precipitation drive seasonal patterns of drought and salt stress, which in turn explain the observed vegetation zonation.

Takolander et al. (2025). This study evaluates the geographic transferability of species distribution models by testing four modelling methods when extrapolating from a brackish marine system to a freshwater lake in Finland. The authors demonstrate that species-specific traits and prevalence play a far more critical role in transferability than the choice of modelling algorithm.

Table 1. Overview of all contributions to the Special Issue. For each article, we have listed the key question, the ecosystem and the model type.

Study	Title	Scientific Key Question	Ecosystem	Model type
Anders et al. (2025)	Modelling Past and Future Impacts of Droughts on Tree Mortality and Carbon Storage in Norway Spruce Stands in Germany	Which climatic and weather-related factors best predict drought-induced Norway spruce mortality, and how will future climate scenarios affect forest biomass and carbon storage?	Norway spruce-forests in Germany	Dynamic global vegetation model augmented with logistic regression models
Axer et al. (2025)	Quantile regression for estimating Douglas-fir natural regeneration potential using the R package quaxnat: Advanced ecological modeling for the management of nature conservation and silviculture	How does the distance to seed sources influence Douglas-fir natural regeneration, and which dispersal kernel best captures this relationship?	Forest ecosystems in Germany	Quantile regression model and spatial dispersal kernels
Boyce et al. (2025)	How can oak regeneration in the Leipzig Floodplain Forest be effectively supported by femel	Can small-scale femel plantations effectively promote oak regeneration, and what	Temperate floodplain	Demographic forest model using the Perfect

	plantations? Application of a demographic forest model	planting intensity is required to maintain a certain oak overstory cover?	forest in Germany	Plasticity Approximation
Crispim-Mendes et al. (2024)	Patch spatial attributes and time to disturbance affect the emergence of source local populations within ephemeral habitats	How do spatial attributes and patch lifespan interact to drive the emergence of source local populations in ephemeral habitats?	Ephemeral habitats in agricultural landscapes	Individual-based demographic model
Curk et al. (2025)	Advantages and disadvantages of using social information for carcass detection—A case study using white-backed vultures.	How do different environmental conditions influence the use of social information in the foraging behavior of white-backed vultures?	Savanna ecosystem in Namibia	Agent-based model
Elles et al. (2025)	Supporting conservation planning in a national biodiversity hotspot – Projecting species composition across a groundwater level gradient using a demographic forest model	Can hydrological restoration via raised groundwater levels sustain the conservation of key floodplain tree species in the Leipzig Floodplain Forest?	Floodplain forest in Germany	Demographic forest model using the Perfect Plasticity Approximation
Ewers et al. (2024)	New Insights to be Gained from a Virtual Ecosystem	How can a holistic ecosystem model like the Virtual Ecosystem enhance our understanding of emergent ecosystem properties, stability, and resilience under a rapidly changing climate?	Terrestrial ecosystems	process-based ecosystem model
Ferraro et al. (2024)	Predicting land use and environmental dynamics in Argentina's Pampas region: An agent-based modeling approach across varied price and climatic scenarios	How do economic determinants and climatic scenarios interact to shape land use dynamics in Argentina's Pampas region?	Agricultural landscapes in Argentina	Agent-based model
Guisnet et al. (2025)	Global sensitivity analysis of the harmonized Lemna model	Which input factors and their interactions most influence the response of the Lemna model to pesticide exposure under various environmental regimes?	Aquatic ecosystems	Mechanistic effect model
Holtmann et al. (2024)	Assessing the impact of multi-year droughts on German forests in the context of increased tree mortality	How do multi-year droughts affect the biomass and productivity of German forests?	Temperate forest ecosystems in Germany	Individual-based forest growth model
Letschert et al. (2025)	Simulating fishery dynamics by combining empirical data and behavioral theory	How do complex human decision-making processes, influenced by behavioral factors and economic pressures, shape fishery dynamics in the southern North Sea under changing scenarios?	Marine system in the North Sea	Agent-based model and behavioral theory
Mangold-Döring et al. (2024)	How Relevant Are Temperature Corrections of Toxicity Parameters in Population Models for Environmental Risk Assessment of Chemicals?	How critical is it to incorporate temperature corrections in dynamic energy budget models and toxicokinetic – toxicodynamic models to improve the realism and protective capacity of population	Freshwater system	Individual-based model

		models used for chemical risk assessment?		
Marques et al. (2024)	Using individual-based demographic modelling to estimate the impacts of anthropogenic mortality on territorial predators	How does increased anthropogenic mortality, particularly through electrocution, impact the population dynamics of territorial predators such as Bonelli's eagle?	Terrestrial ecosystems in Portugal	Individual-based model
Muller et al. (2024)	Site-level and spatially-explicit modelling provides some insights on key factors driving seasonal dynamics of an intertidal seagrass	What are the key environmental drivers, including hydrodynamic forces and light conditions, that determine the seasonal dynamics and spatial distribution of intertidal seagrass meadows?	seagrass meadows in France	coastal hydrodynamics model and machine learning
Nothaaß and Huth (2025)	Community recomposition caused by species extinction in the colonization-competition trade-off model for vegetation	How does an abrupt species extinction affect equilibrium community structure and biodiversity within the colonization-competition framework?	Grasslands	Colonization-competition trade-off (metacommunity) model
Ogawa et al. (2024)	Functional Responses in Habitat Selection as a Management Tool to Evaluate Agri-environment Schemes for Farmland Birds	Do farmland birds exhibit functional responses in their habitat selection relative to changes in the availability different land-use types, and how does this influence their distribution?	Agricultural landscapes in Germany	Hierarchical distance sampling models combined with mixed-effects and linear models
Peters et al. (2025)	Modelling the dynamics of soil moisture and soil water salinity in tropical saltmarshes	How can tidal flooding, rainfall, and evapotranspiration be modeled to predict soil moisture and salinity patterns in tropical saltmarshes?	Tropical saltmarsh	Mechanistic eco-hydrological water balance model
Rammer et al. (2024)	The individual-based forest landscape and disturbance model iLand: Overview, progress, and outlook	How can an individual-based forest landscape model like iLand be utilized to simulate forest dynamics and disturbance impacts under various environmental and management scenarios?	Temperate forests	Individual-based forest landscape model
Scheiter et al. (2024)	Modeling drought mortality and resilience of savannas and forests in tropical Asia	How do drought events influence mortality and recovery dynamics in tropical Asian savannas and forests under climate change?	Savannas and forests in tropical Asia	Trait-based dynamic global vegetation model
Schorn et al. (2025)	Optimising profits from timber harvest and biodiversity conservation value in a central European beech forest using a novel bioeconomic forestry model	How can timber harvesting be optimized to maximize economic profit while simultaneously preserving biodiversity in central European beech forests?	Beech forests in Germany	Ecological-economic optimization model
Takolander et al. (2025)	Cross-realm transferability of species distribution models—Species characteristics and prevalence matter more than modelling methods applied	Does the transferability of SDMs depend more on inherent species characteristics and prevalence than on the specific modelling method used?	marine environment and freshwater	species distribution models

			lake in Finland	
Verbeeck et al. (2024)	Towards a liana plant functional type for vegetation models	What are the essential traits and processes that should define a liana plant functional type for accurate representation in vegetation models?	Tropical forests	vegetation modeling with plant functional types
Wang et al. (2025)	Modeling Rangelands as Complex Adaptive Socio-Ecological Systems: An Agent-Based Model of Pyric Herbivory	How do adaptive management strategies regarding grazing and fire affect vegetation dynamics, forage production, and cattle performance in rangelands?	Semi-arid rangelands, USA	Agent-based model
Wimmler and Berger (2024)	How root-grafted trees form networks: Modeling network dynamics with pyNET	Which processes and factors are critical in determining the formation and topology of root graft networks in trees?	Forested ecosystems (temperate forests and mangrove systems)	Individual-based forest growth model

We hope that the papers chosen for this Special Issue demonstrate the range of contemporary issues being addressed through ecological modelling.

Acknowledgements

We gratefully acknowledge our colleagues who contributed their time and expertise to provide thorough and thoughtful reviews of the papers included in this Special Issue. We also would like to thank the faculty, students, and staff in the Department of Ecological Modelling at the Helmholtz Centre for Environmental Research - UFZ for their hospitality, logistical support, and organizational support, and fellow members of European Chapter of the International Society for Ecological Modelling who chaired sessions and helped in numerous other ways during the Conference. Finally, we would like to express our gratitude to everyone who attended the conference for the engaging, enjoyable, and vibrant idea exchanges that defined it and helped to fortify our global ecological modelling network.

References

- Anders, T., Hetzer, J., Knapp, N., Forrest, M., Langan, L., Tölle, M.H., Wellbrock, N., Hickler, T. (2025). Modelling past and future impacts of droughts on tree mortality and carbon storage in Norway spruce stands in Germany. *Ecological Modelling* 501, 110987.
- Axer, M., Schlicht, R., Blickensdörfer, L. (2025). Quantile regression for estimating Douglas-fir natural regeneration potential using the R package quaxnat: Advanced ecological modeling for the management of nature conservation and silviculture. *Ecological Modelling* 501, 110968.
- Boyce, J., Elles, L., Henkel, S., Kasperidus, H.D., Padberg, A., Scholz, M., Schorn, M.E., Sickert, A., Vieweg, M., Rüger, N. (2025). How can oak regeneration in the Leipzig Floodplain Forest be effectively supported by femel plantations? Application of a demographic forest model. *Ecological Modelling* 499, 1109(20.

187 Crispim-Mendes, T., Roos, D., Ferreira, C.M., Paupério, J., Silva, J.P., Godinho, S., Alves, P.C., Mira, A.,
 188 Beja, P., Lambin, X., Pita, R. (2024). Patch spatial attributes and time to disturbance affect the
 189 emergence of source local populations within ephemeral habitats. *Ecological Modelling* 496, 110839.

190 Curk, T., Rast, W., Portas, R., Kohles, J., Shatumbu, G., Cloete, C., Curk, T., Radchuk, V., Aschenborn, O.,
 191 Melzheimer, J. (2025). Advantages and disadvantages of using social information for carcass
 192 detection—A case study using white-backed vultures. *Ecological Modelling* 499, 110941.

193 Elles, L., Boyce, J., Henkel, S., Kasperidus, H.D., Scholz, M., Schorn, M.E., Vieweg, M., Wirth, C., Rüger,
 194 N. (2025). Supporting conservation planning in a national biodiversity hotspot – Projecting species
 195 composition across a groundwater level gradient using a demographic forest model. *Ecological*
 196 *Modelling* 501, 110996.

197 Ewers, R.M., Cook, J., Daniel, O.Z., Orme, C.D.L., Groner, V., Joshi, J., Rallings, A., Rallings, T.,
 198 Amarasekare, P. (2024). New insights to be gained from a Virtual Ecosystem. *Ecological Modelling* 498,
 199 110866.

200 Ferraro, D.O., Ghersa, F., Castro, R. (2024). Predicting land use and environmental dynamics in
 201 Argentina's Pampas region: An agent-based modeling approach across varied price and climatic
 202 scenarios. *Ecological Modelling* 498, 110881.

203 Guisnet, C., Reichenberger, S., García, E.A., Voss, F. (2025). Global sensitivity analysis of the harmonized
 204 Lemna model. *Ecological Modelling* 501, 111016.

205 Holtmann, A., Huth, A., Bohn, F., Fischer, R. (2024). Assessing the impact of multi-year droughts on
 206 German forests in the context of increased tree mortality. *Ecological Modelling* 492, 110696.

207 Letschert, J., Müller, B., Dressler, G., Möllmann, C., Stelzenmüller, V. (2025). Simulating fishery
 208 dynamics by combining empirical data and behavioral theory. *Ecological Modelling* 501, 111036.

209 Mangold-Döring, A., Buddendorf, W.B., van den Brink, P.J., Baveco, J.M. (2024). How relevant are
 210 temperature corrections of toxicity parameters in population models for environmental risk
 211 assessment of chemicals? *Ecological Modelling* 498, 110880.

212 Marques, A.T., Crispim-Mendes, T., Palma, L., Pita, R., Moreira, F., Beja, P. (2024). Using individual-
 213 based demographic modelling to estimate the impacts of anthropogenic mortality on territorial
 214 predators. *Ecological Modelling* 493, 110752.

215 Muller, H., Auclair, E., Woehrel, A., Ganthu, F., Tandeo, P., Wu, P.P.-Y., Chercham, C., Marzloff, M.P.
 216 (2024). Site-level and spatially-explicit modelling provides some insights on key factors driving seasonal
 217 dynamics of an intertidal seagrass. *Ecological Modelling* 495, 110802.

218 Nothaaß, D., Huth, A. (2025). Community recomposition caused by species extinction in the
 219 colonization-competition trade-off model for vegetation. *Ecological Modelling* 499, 110906.

220 Ogawa, R., Engler, J.O., Cord, A.F. (2024). Functional responses in habitat selection as a management
 221 tool to evaluate agri-environment schemes for farmland birds. *Ecological Modelling* 494, 110778.

222 Peters, R., Reis, A.C.A., Mehlig, U., Wimmeler, C., Vollhüter, J., Pimple, U., Tietjen, B., Berger, U. (2025).
 223 Modelling the dynamics of soil moisture and soil water salinity in tropical saltmarshes. *Ecological*
 224 *Modelling* 504, 111089

225 Rammer, W., Thom, D., Baumann, M., Braziunas, K., Dollinger, C., Kerber, J., Mohr, J., Seidl, R. (2024).
 226 The individual-based forest landscape and disturbance model iLand: Overview, progress, and outlook.
 227 Ecological Modelling 495, 110785.

228 Schorn et al. (2025). Optimising profits from timber harvest and biodiversity conservation value in a
 229 central European beech forest using a novel bioeconomic forestry model. Ecological Modelling

230 Scheiter, S., Kumar, D., Pfeiffer, M., Langan, L. (2024). Modeling drought mortality and resilience of
 231 savannas and forests in tropical Asia. Ecological Modelling 494, 110783.

232 Takolander, A., Forsblom, L., Hellsten, S., Ilmonen, J., Jokinen, A.-P., Kallio, N., Koponen, S., Väkevä, S.,
 233 Virtanen, E. (2025). Cross-realm transferability of species distribution models—Species characteristics
 234 and prevalence matter more than modelling methods applied. Ecological Modelling 499, 110950.

235 Verbeeck, H., De Deurwaerder, H.P.T., Kearsley, E., Moorthy, S.M.K., Mundondo, F.M., Coppieters, K.,
 236 Schnitzer, S.A., Longo, M., Peaucelle, M., Bauters, M., Meunier, F. (2024). Towards a liana plant
 237 functional type for vegetation models. Ecological Modelling 498, 110901.

238 Wang, H.-H., Grant, W.E., Birt, A.G., Wilcox, B.P. (2025). Modeling rangelands as complex adaptive
 239 socio-ecological systems: An agent-based model of pyric herbivory. Ecological Modelling 501, 1110(20.

240 Wimmer, M.-C., Berger, U. (2024). How root-grafted trees form networks: Modeling network
 241 dynamics with pyNET. Ecological Modelling 498, 110916.